




# NAVAL POSTGRADUATE SCHOOL Monterey, California



## **THESIS**



NAVAL AIR STATION ALAMEDA'S MATERIAL DISTRIBUTION SYSTEM

ру

Richard T. Macon

December 1979

Thesis Advisor:

A. W. McMasters

Approved for public release; distribution unlimited

THE COPY FUENISHED TO DOC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO FOR REPRODUCE LEGIBLY.

DDC FILE COPY

80 5 20 014

### **DISCLAIMER NOTICE**

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE REPORT NUMBER . GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER 4. TITLE (and Subtitio) TYPE OF REPORT & PERIOD COVERED Master's Thesis, Naval Air Station Alameda's Secember 1979 Material Distribution System. PERFORMING ORG. REPORT NUMBER S. CONTRACT OR GRANT NUMBER(A) Richard T. /Macon PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 11. CONTROLLING OFFICE NAME AND ADDRESS 12. REPORT DATE Naval Postgraduate School Dec Monterey, California 93940 NUMBER OF PAGES 113 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office) 18. SECURITY CLASS. (of this report) Naval Postgraduate School Unclassified Monterey, California 93940 18a. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited 17. DISTRIBUTION STATEMENT (of the electroct entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Naval Air Stations, Naval Industrial Air Stations, Naval Air Rework Facilities, Material Management, Material Movement. Material Distribution 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) On 1 October, 1979 Navy Supply Center Oakland assumed the wholesale aviation supply function of Naval Air Station Alameda. NSC Oakland and NAS Alameda are prototype activities in a plan to consolidate and mechanize the wholesale supply functions of collocated Industrial Naval Air Stations and Navy Supply Centers at Oakland, San Diego, and


DD 1 JAN 73 1473 (Page 1)

EDITION OF 1 HOV 68 IS OBSOLETE S/N 0102-014-6601 | 251450

SOCUMETY CLASSIFICATION OF THIS PAGE/WHEN DOLD BRIDGE

(Continuation of abstract)

Norfolk. As part of this consolidation at Oakland, many facets of the associated supply functions have been studied. This report presents the results of a study of the Material Distribution System of the NAS Alameda. It looked at both NAS Alameda's Supply Department and the Naval Air Rework Facility, Alameda. The prime objectives were (1) to define the existing material and document flow to NAS Supply's local customers, including distances, times and volume, (2) to determine the costs, both direct and indirect and (3) to determine possible improvements. consequence, the material and document flow processes have been charted, transportation logs have been examined; and operational costs have been determined. The results of this study indicate that the NAS Alameda Supply Department is efficient and is meeting the imposed standard time The Naval Air Rework Facility, Alameda has requirements. a internal distribution system which appears to lack control and is costly. Areas where improvements might be made and where further study is warranted are identified.



Approved for public release; distribution unlimited

Naval Air Station Alameda's Material Distribution System

ру

Richard T. Macon Lieutenant, United States Navy B.S., University of Texas at Austin, 1972

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN MANAGEMENT

from the

NAVAL POSTGRADUATE SCHOOL December 1979

Author	Rehard C Maron
Approved by:	alan W. Mc Masters
	Thesis Advisor
	12W Sagehorn
	Second Reader
	Calle
	Chairman, Department of Administrative Sciences
	Holling.
	Dean of Information and Policy Sciences
	//

#### ABSTRACT

On 1 October, 1979 Navy Supply Center Oakland assumed the wholesale aviation supply function of Naval Air Station Alameda. NSC Oakland and NAS Alameda are prototype activities in a plan to consolidate and mechanize the wholesale supply functions of collocated Industrial Naval Air Stations and Navy Supply Centers at Oakland, San Diego, and Norfolk. As part of this consolidation at Oakland, many facets of the associated supply functions have been studied. This report presents the results of a study of the Material Distribution System of the NAS Alameda. It looked at both NAS Alameda's Supply Department and the Naval Air Rework Facility, Alameda. The prime objectives were (1) to define the existing material and document flow to NAS Supply's local customers, including distances, times and volume, (2) to determine the costs, both direct and indirect and (3) to determine possible improvements. As a consequence, the material and document flow processes have been charted, transportation logs have been examined; and operational costs have been determined. The results of this study indicate that the NAS Alameda Supply Department is efficient and is meeting the imposed standard time requirements. The Naval Air Rework Facility, Alameda has a internal distribution system which appears to lack control and is costly. Areas where improvements might be made and where further study is warranted are identified.

#### TABLE OF CONTENTS

I.	INT	יטכסאי	CTION	10				
II.	NAV DIS	AL A	IR STATION ALAMEDA'S MATERIAL UTION SYSTEM]	12				
	Α.	DEF	INITION OF THE SYSTEM ]	L 2				
		1.	Organizational Structure					
			a. Supply Department 1	L 2				
			b. NARF1	L7				
		2.	Definition of the Material and Document Flow	20				
			a. NAS Alameda Supply Department's Flow Process	20				
			b. NARF's Internal Flow Process 2	29				
		3.	The Transportation of Material	35				
			a. NAS Supply Department	35				
			(1) Material Division	35				
			(a) Storage Branch	35				
			(b) Traffic Branch 3	37				
			(2) Aviation Support Division 5	57				
			b. NARF's Transportation Branch 5	<i>با</i>				
	B.	COS	TS 5	5				
		1.	NAS Supply Department Costs 5	5				
		2.	NARF's Distribution Costs 7	7				
III.	CON	CLUS	IONS 8	2				
	Α.	NAS	ALAMEDA SUPPLY DEPARTMENT 8	2				
	в.	B. NAVAL AIR REWORK FACILITY						

APPENDIX A - LOCAL CUSTOMERS AND THEIR VOLUME	36
APPENDIX B - DISTANCE CHART	88
APPENDIX C - NAS ALAMEDA MAP	89
APPENDIX D - COPIES OF LOGS	90
APPENDIX E - COPIES OF FORMS	98
APPENDIX F - NAS ALAMEDA SUPPLY DEPARTMENT, DELIVERY SECTION ROUTES	99
APPENDIX G - MARF'S INTERNAL ROUTE LOCATIONS 1	.05
LIST OF REFERENCES1	.10
INITIAL DISTRIBUTION LIST1	13

#### LIST OF FIGURES

1.	NAS Alameda Supply Department's Organization Chart	13
2.	Material Division's Organization Chart, Supply Department	15
3.	Aviation Support Division's Organization Chart, Supply Department	15
4.	NARF's Organization Chart	18
5.	Production Planning and Control Department's Organization Chart, NARF	19
<b>5.</b>	Material Division's Flow Process for Material Entering the Station	22
7.	Material Division's Flow Process for Material Leaving the Station	25
8.	Aviation Support Division's Flow Process	27
9.	MARF's Internal Flow Process	30
LO.	NARF's Ordering Flow Process	32
11.	Delivery Section, out of BLDG 368, Time-of-Day Distribution	43
12.	Delivery Section, out of BLDG 368, Day-of-Yeek Distribution	بارا
13.	Delivery Section, not out of BLDG 368, Day-of-Week Distribution	45
14.	Delivery Section, off-station Runs, Time-of-Day Distribution	48
15.	Delivery Section, off-station Runs, Day-of-Week Distribution	49
ló.	Delivery Section, Semi-Trailer Movements, Day-of-Teek Distribution	53
17.	Delivery Section, Semi-Trailer Movements. Time-of-Day Distribution	54
18.	Aviation Support Division Marehouse Distribution	51
19.	Aviation Support Division Time-of-Day Distribution	52
20.	Aviation Support Division Day-of-Week Distribution	<b>53</b>

#### LIST OF TABLES

I.	Traffic Branches Overall Standard Times and Response Time, (Supply Department)	21
II.	NARP's Requisition Submission Times for April and May 1979	33
III.	Storage Branch's Electric Truck Delivery Times	34
IV.	Summary of Delivery Section Trucks Out of BLDG 368	38
٧.	Delivery Section Load Type Distribution, Cut of BLDG 368	41
VI.	Summary of Delivery Section's Off-Station Runs	<b>47</b>
vII.	Summary of Delivery Section's Semi-Trailer Movements	51
VIII.	Summary of Delivery Section's Semi-Trailer Spots	52
IX.	Delivery Section's Two-Ton Stake Truck Utilization	55
х.	Summary of Aviation Support Division's Movements	50
XI.	Summary of NARF's Movements	55
XII.	NARF's Volume Distribution with Respect to Internal Route Locations	<b>48</b>
XIII.	Summary of Supply Department's Public Works Vehicles Charges	71
xiv.	Summary of Supply Department's Material Handling Equipment Costs	72
.VX	Supply Department's Personnel Costs	74
.IVX	List of Supply Department's Warehouse Sizes	73
XVII.	Summary of NARF's Public Works Vehicle Charges	20
XVIII.	NARF's Material Handling Equipment Costs	03
XIX.	Transportation Branch's Personnel Costs. NARF	ខា

					Material	
Distrib	utid	on Sys	tem	 		84

#### I. INTRODUCTION

Navy Supply Center Oakland assumed the wholesale aviation supply function of Naval Air Station Alameda on 1 October 1979 [1]. NSC Oakland and NAS Alameda are prototype activities in a plan to consolidate and mechanize the wholesale supply functions of collocated Industrial Naval Air Stations (INAS) and Navy Supply Centers (NSC) at Oakland, San Diego, and Norfolk. The implementation of the consolidation plan is based upon the recommendations of the Department of Defense Material Distribution Study (DODNDS)[1].

The DODNOS examined the capacity, operational assets, and transportation costs associated with 34 major DOD wholesale activities. The three-year study was completed in March 1978. Essentially, it determined the number and location of wholesale activities necessary to provide efficient and cost effective distribution of material.

The consolidation is not to downgrade the current supply support to the wholesale customers, the primary one of concern at Alameda is the associated Maval Air Rework Facility [1]. In an effort to determine the current supply support (prior to the consolidation) MSC Oakland, MAS Alameda, MART Alameda and Maval Station Mare Island were studied. Each of these locations was studied with respect to a variety of areas. Some of these were the customer response times, the costs of material shortage, and the transportation costs.

This thesis presents the results of a study of the material distribution system through which NAS Alameda provided supply support to their customers before the consolidation. The following were the prime objectives of the study:

- (1) Define the existing material and document flow to local customers, including distances, times and volume.
  - (2) Determine the costs, both indirect and direct.
- (3) Determine any possible improvements. Primarily reducing the delivery time to the customers and reducing costs.

The detailed results of this study will be presented in Chapter II of this thesis. Chapter III summarizes the results of the study, and draws conclusions.

#### II. MAVAL AIR STATION ALAMEDA'S MATERIAL DISTRIBUTION SYSTEM

This chapter describes the Material Distribution System at the Maval Air Station Alameda, and is divided into two parts. The first part will deal with defining the system. The second part will discuss the cost of this system. In both of these parts NAS Alameda's System will be divided into the divisions and branches responsible, and these will be discussed separately.

#### A. DEFINITION OF THE SYSTEM

MAS Alameda's Distribution System will be defined by first describing the organizational structure of NAS Alameda's Supply Department (also referred to as MAS Supply) and of Maval Air Rework Pacility Alameda (NARF). The overall material flow processes on the Station will then be presented and discussed. Finally, the actual movement of material between various buildings will be discussed.

#### 1. Organizational Structure

#### a. Supply Department

NAS Alameda's Supply Department is divided into six divisions. These are the Administrative and Planning Division, the Material Division, the Control Division, the Aviation Support Division, the Food Service Division, and the Fuel Division. Figure 1 shows in more detail NAS's Supply Department Organization. Of these six divisions the

NAS ALAMEDA SUPPLY DEPARTMENT'S ORGANIZATION CHART - APRIL 1979




Figure 1

two that are directly involved with NAS's Material Distribution System are the Material and Aviation Support Divisions.

The Material Division consists of two branches; the Traffic Branch and the Storage Branch. An organizational chart of the Material Division is presented in Figure 2.

The Traffic Branch is basically responsible for receiving and sorting all incoming material and for transporting all Navy Supply Issue Group II and III material to the local customers on the station. Issue Group I material is transported by both the Traffic Branch and the Aviation Support Division. The Traffic Branch and the Aviation Support Division. The Traffic Branch is also responsible for the packing and shipping of materials leaving the air station.

The Storage Branch is basically responsible for the storage of all materials stocked by the Supply Department. This includes the placement of material into the warehouses and the picking of material from the warehouses.

The Aviation Support Division consists of the Supply Response Branch, the Not Operationally Ready Supply (NORS) Branch, and the Component Control Branch. Figure 3 is an organizational chart for the Aviation Support Division. This division is basically responsible for directly supporting the aviation units while they are on board NAS Alameda. This involves many operations from expediting supply requisitions to monitoring a component repair program. The function most directly involved with the Station's material

MATERIAL DIVISION'S ORGANIZATION CHART SUPPLY DEPARTMENT - APRIL 1979




Figure 2

117,12

A STATE OF THE STA

استاناها والمراش المناسرة والمراجع والمراجع والمستورة والمراجع والم

Pigure 3


distribution system is the pickup and delivery of aircraft components. This is one of the responsibilities of the Supply Response Branch and more specifically, the Material Delivery Section. The Material Delivery Section delivers Ready For Use (RFU) components to the aviation squadrons at the Station and picks up the broke but repairable components. These broken components are then delivered to the repair activities on the Station.

#### b. NARF

The Naval Air Rework Facility, Alameda consists of eight departments as shown in Figure 4. These departments are the Administrative Services Department, the Management Controls Department, the Naval Air System Command, the Engineering Support Office, the Quality and Reliability Assurance Department, the Production Planning and Control Department, the Production Engineering Department, the Flight Test Department, and the Production Department.

The Production Planning and Control Department is primarily involved with NAS Alameda's Material Distribution System and consists of three divisions (see Figure 5). They are the Production Control Division, the Production Planning Division and the Material Planning Division. Within the Production Control Division is the Transportation Branch which is basically responsible for the movement of aircraft, aircraft components and supplies inside NARF. This includes the movement of components between NARF shops and the initial distribution of items received from NAS Supply.

NARF'S ORGANIZATION CHART - APRIL 1979



PRODUCTION PLANNING AND CONTROL DEPARTMENT'S ORGANIZATION CHART, NARF **APRIL 1979** 




Figure 5

BRAFICH

Within the Material Planning Division is the Material Control Branch. This branch is involved with the ordering of materials and the initial sorting of items received from the Station's Supply Department.

2. Definition of the Material and Document Flow

To fully define the material and document flow at NAS Alameda flow charts will be presented and discussed.

- a. NAS Alameda Supply Department's Flow Process
- of materials and documents which involve the Materials
  Division starts with material and documents arriving at NAS
  Alameda Receiving, building 368, section A and B (the east end). (See Appendix C for a map of NAS Alameda). Material and documents will arrive from off station by a variety of transportation modes. The most common are commercial trucks, Navy trucks and commercial rail. Material and documents come from a variety of civilian and military locations. It arrives via many means with the most common being the United States
  Nail, the Department of Defense (DOD) "Quick-Trans," the United Postal Service (UPS), and the Military Ocean Terminal-Bay Area (MOTBA).

The Material Division has various time standards within which it conducts its various operations.


Table I presents these standards along with the corresponding actual average times for the Material Division.

On-station Material. The Receiving Section is a convenient place to start a description of the flow

TABLE I

TRAPFIC BRANCHES OVERALL STANDARD TIMES AND RESPONSE TIMES, SUPPLY DEPARTMENT

REMARK	Response time from Reference 2 Standard times locally impossed	Response time from Reference 4	Response Time from Reference 3		
STANDARD TIME	85% moved within 7 calendar days	None	24 hours	5 calendar days	20 to 30 calendar days
RESPONSE TIME	87% moved within 7 calendar days 0.9 days average processing time	Within 1 working	24 hours	5 working days	30 working days
SECTION	Receiving	Delivery	Shipping IG1	IG2	163



-

Figure 6

process of incoming material. (See Figure 5) This section off-loads the material and first determines whether it is direct turnover (DTO) material. If it is, then it is immediately moved by forklift to the Delivery Section in building 368, section C. The material that is not DTO is placed in a area marked by row and column, on the floor of building 368. A record is kept of each location and the accompaning documents are sent to the Receipt Control Branch. (Receipt Control is part of the Supply Department's Control Division and is located in a mezzanine area in building 368A). It is the responsibility of the Receipt Control Branch to update the Supply Department's computer records and query the computer as to where the material should be sent. The choices at this point are to send it to stock, to a local customer, or to ship it to a non-local customer.

After the destination is determined, the documents are relayed, via a pneumatic tube to the Receiving Branch. A delivery slip (12ND NASA 4613/24: See Appendix E) is then attached and the material is delivered by forklift truck to the Delivery Section in building 368, section 3.

Once the material with documentation has -reached the Delivery Section, the material is staged on the floor by row according to destination (e.g., building number or ship number). If the material is Issue Group I and for a Squadron Base then it is placed in designated shelves in building 368A and is picked up for delivery at least hourly

by the Aviation Support Division drivers [5]. The other material is delivered by Delivery Section using thirteen 2 ton-trucks and one mule train. If the material is delivered to a nearby warehouse the station's computer is updated as to its location with an IBM punch card supplied by the Receipt Control Branch.

The Screening Branch is also located in building 368, but in section B. The Screening Branch's function is the same as the Receiving Branch but is only for non-operative repairable material (condition coded P and E). This branch also has the added function of determining the National Stock Number (NSN) or part number, before notifying Receipt Control Branch. The flow process is the same except one mule train (a small tow tractor with several four-wheel trailers behind it) delivers material to the P and E warehouses instead of the Delivery Branch.

Off-station Material. Besides being involved in the distribution of materials to the local customers and station warehouses the Material Division is involved in getting materials off-station. Since a main concern of this thesis is the response to the local customer, this portion concerned with getting material off-station will be brief.

A convenient place to start discussing the flow off-station is at the Packing Branch (See Figure 7). The Packing Branch, located in building 368, section D, receives material from every activity on the station. If the material to be placed is coming from NAS Supply




Figure 7

warehouses (controlled by the Storage Branch), then remote computer terminals for each warehouse generate the issue documents. Issue Group I documents are processed with high priority while Issue Groups II and III are processed when time permits. Items to be shipped off-station are picked up from the warehouses and delivered to the packing section by 2 two-ton stake trucks operated by the Storage Branch. One of these trucks makes routine rounds of the warehouses while the other handles Issue Group I material.

In addition to packing each item or passing it on as packed, a packing work sheet is prepared. This work sheet contains information such as weight, volume, shipping classification and destination. After the work sheet is completed the material is moved to the Shipping Section in building 368, section E. The NART and other activities on the Station also pack certain types of material.

Once the material is in the Shipping Branch the DCD Priority Group is determined and combined with destination's location and a mode of shipment is determined. The most common modes are DOD "Quick-Trans," commercial truck, commercial ship, and military ship.

(2) Aviation Support Division's Flow Process.

The Aviation Support Division's (ASD) flow of materials and documents starts with the receipt of a material requisition via teletype from a squadron (See Figure 8). Each squadron has access to a teletype; however, ASD's offices (in building 1/1) only have one teletype per hangar (a total of six), with

Material Picked Material Div. Material Returned to Stock Aviation Support Division's Flow Process Remote Terminal Generated Doc. in Warehouse Retrograde Repaired **April** 1979 Submit to Computer Rotatable Poo! nonpool 0 Pool Items Screen for pood In Stock Rotatable in pool **Drivers Deliver** Material and Retrograde Pick up Squadrons Teletyped from

Φ

Figure

each hanger housing two or more squadrons. This sharing of teletypes at the ASD office causes some delays although these tend to be very short, usually less than fifteen minutes [7].

After the teletype requisition has been received the NSN is screened against a rotatable pool listing to determine if the ordered material is a pool item or not. If the ordered material is a pool item, a driver from ASD's Material Delivery Section hand-carries a copy of the teletype requisition to the rotatable pool (located in building 41), draws the material (if in stock) and then delivers it to the proper squadron. If the required material is not in stock, then the driver returns the copy to ASD's Not Operationally Ready Supply (NORS) Section.

The NORS Section submits all requisitions to the Station's computer via their remote terminal. The computer checks its stock records and processes issue documents at a remote terminal in the proper warehouse. The average time for this computer's action is 45.3 minutes [4]. An ASD Delivery Section driver dispatched from building 41 will pick up the ordered material after the Material Division's Storage Branch has picked the material. The ASD's driver delivers the material to the ordering squadron and picks up any retrograde (Not Ready For Issue but repairable material). The retrograde is then returned to the rotatable pool or the Aircraft Intermediate Maintenance Department (AIMD) for repairs. (The rotatable pool does not

repair the material, it only inducts and tracks the repair that AIND performs). Both the rotatable pool and AIND are located in building 41. ASD has the following response time standards: Issue Group I: one hour, Issue Group II: two hours, and Issue Group III: 12 hours [8].

#### b. NARF's Internal Flow Process

Before the internal flow process at NARF Alameda can be discussed the structure of NARF's internal system should be described. MARF orders all its materials through three Material Control Centers (MCC). These MCCs are located in buildings 5, 400 and 168 and are designated A, F and L, respectively. Material is also received at each of these MCCs in addition to building 500, the central receiving area. From each of these four receipt points material is distributed by the Transportation Branch of the NARF.

When material arrives at building 500 or a MCC it is sorted according to internal route location (See Figure 9 for a flow diagram). These locations are identified by the last two digits of the material requisition's document number. Appendix G lists the document number and corresponding internal route locations.

If the material is received at building 500 then it is delivered almost immediately to the internal route locations. If the material arrives at a MCC then it is placed in a set of shelves having one cubbyhole for each internal route location. The Transportation Branch then picks up from each MCC and delivers to the route locations.

NARF's Internal Flow Process

April 1979




Figure 9

Any special requirements material movements can be dispatched by radio.


MARF's flow process associated with requisitioning material starts with each production shop. The shop determines the required materials and prepares an initial requisition This form is routed first to the responsible Production Planning Center (PPC) and then to the responsible MCC. At the MCC the form is screened against a Material Planner's card. This card is used to verify the requested items National Stock Number or part number, and such a card should exist for each type item ordered. If the requisition form is accurate and complete it is keypunched and fed into a remote terminal to the Station's computer. If the requisition form is incorrect or incomplete it is returned to the shop for corrections and resubmitted to the MCC. In those few instances when no Material Planner's Card is present, the requisition is routed to the Material Planners for identification and verification. The Material Planners then return the requisition and a new Material Planner's Card to the MCC where the order process is completed. This portion of the order process can take up to two weeks, but usually takes about one week [9].

Figure 10 depicts the order process flow.

Various average submission times for this ordering process are contained in Table II.

NARF's Ordering Flow Process

**April** 1979



NOTE: Material Planner Cards are verified and updated yearly

Figure 10

TABLE II

NARF'S REQUISITION SUBMISSION TIMES
FOR APRIL AND MAY 1979
(in hours) Ref. 10

	MCC	IGI	IGII	IGIII	ALL IG
DOCUMENT DATE	A	132.3	143.8	77.1	120.6
ТО	ন্ত্ৰ	174.6	124.1	161.8	145.7
MCC TRANSMISSION	<u>L</u>	215.7	179.1	293.4	191.0
	ALL	175.6	155.3	85.1	155.5
MCC TRANSMISSION	Α	1.7	2.5	1.1	1.9
TO	F	2.2	1.2	1.0	1.5
NAS ALAMEDA RECEIPT	L	0.8	1.7	0.5	1,8
	ALL	1.5	1.7	1.1	1.8
DOCUMENT DATE	A	134.2	145.2	78.1	122.4
TO	F	178.0	125.3	162.7	147.3
NAS ALAMEDA	L	217.5	180.8	293.9	192.4
RECEIPT	ALL	177.5	157.1	86.1	157.1

TABLE III

### STORAGE BRANCH'S ELECTRIC TRUCK DELIVERY TIMES APRIL 1979

BUILDING FROM - MO	TIME BETWEEN (MINS)	REMARKS
8 - 92	3	Common to both trucks
92 - 9	2	Subtotal - 5 mins
9 - 400	6	
400 - 5	5	One trucks run
5 - 8	11	Subtotal 23 mins
9 - 170	5	
170 - 360	3	Other trucks run Subtotal 18 mins
Total trav	vel time	28 23
Load/unloa	ad time*	20 20
Motal rour Mime	nd trip	48 mins 43 mins

<sup>\*</sup>Average load/unload time = 5 mins per stop

### 3. The Transportation of Material

The way that material and its associated documents are actually moved around the Station is presented in this section. The established routes will be presented first. Then the data gathered will be discussed. The data that was gathered consisted mostly of drivers' logs which show the time and the building at which stops were made. As a result, the discussion of this data will consist primarily of where the material goes, how long it takes and the volume of material moved. Because of their differences, the Material Division, the Aviation Support Division and the NARF will be discussed separately.

### a. NAS Supply Department

- (1) <u>Material Division</u>. In the Material Division the actual transportation of material is handled by both the Storage and Traffic Branches. Both branches use fork lift trucks to move material. No effort was made to study this type of movement for two reasons. First, the movement was limited to within and about warehouses. This information would add little to this thesis. Second, the large number (120) of trucks would have required more time than was available.
- (a) Storage Branch. The Storage Branch does use two electric industrial flatbed trucks and 2 two-ton stake trucks to transport material about the base. The two electric trucks are used to deliver material to the NARF's, MCCs and building 360 from building 8, 9, and 92. One

delivers to the MART's MCC A and F, in buildings 5 and 400 respectively. The other truck delivers to MCC L, in building 168 and to building 360. No records were kept with regards to these electric trucks from which delivery times could be obtained. This made it necessary to ride with the driver. Data from one cycle of each truck was obtained. The data consisted of the building stopped at, the time of arrival and departure, and the number of items carried. This data is contained in Appendix D-1. Table III contains the summary of the movements of these trucks. Both runs take about 50 minutes each for a round trip. Both trucks seemed to be slow, but seldom were parts observed to be waiting more than one hour at the issue points in any of the three warehouses. The volume carried in each run was from two to three trays (18x12x24 inches) of small parts and four to five boxes, too large for a tray. Also the volume remained reasonably constant throughout the day [11].

The 2 two-ton stake trucks are used to take material from all of supply's warehouses (13) to the Packing Section (building 358 D or building 11) for off-station shipment. One stake truck handles Issue Group I material exclusively. The driver of this truck maintains a log of when he arrives at building 8. A page of this log is contained in Appendix D-2. The time between leaving and returning to building 8 averages 60 minutes. This allows any hot item to be moved within one hour by simply leaving a message at building 3 for this driver. No data

was available or collected for the other trucks. No volume data was collected.

(b) Traffic Branch. Two sections of the Traffic Branch transport material around the station. These sections are the Screening Section and the Delivery Section. The Screening Section uses one mule train to transport Not Ready For Issue (NRFI) material to various warehouses on station. No records are kept for this mule train. However, it is not involved with local customer support and hence was not of further interest.

The Delivery Section is responsible for transporting the majority of the NAS Supply Department's material. As of 19 April, 1979 the Delivery Section had an allowance for eleven drivers with ten actually on board. Also, eleven designated routes were in existence at that time. Five of these runs were established on the basis of customer aggregation. Two are miscellaneous runs which incorporated many low volume customers like the base Administration Office, Security and etc. Of the remaining runs, two are for the internal movement of material between NAS Supply warehouses, one is a Mail run for NAS Supply and the last is a run to NSC Oakland. Appendix F contains a complete listing of these routes. The run listings are arranged in the order in which they were discussed.

Out of Building 368. Table IV summarizes the data accumulated from the logs of trucks operating out of building 368. The data used for this

TABLE IV

SUMMARY OF DELIVERY SECTION TRUCK MOVEMENTS OUT OF BLOG. 368

_					-			
		.vsíM				2.2		
·		Missile				13.7		
	Total	Yellow Gear	10					
	Jo %)	Engine Cans	3.0	0.2	2.0	5.2		
	Type	Drums	21.1					
	Load	Pig Pens	<u>.</u>					
	ĭ	Soxes Boxes	0.7	2.7	2.0 2.9 5.3 14.7	6.2 4.6 13.7 11.9		
		Skids	6.9					
		Flats	92.4	100 96.3	96.1 97.1 94.7 85.3 100	693.8 765.7 46.5	100 100 100	100 100 100
	ď	узиве	1-13	13-25 1-13	1-5 1-5 1-11 2-6	2-7 2-11 1-7 3-40	2-11 4-6 1-9 1-12	2-6 4-6 3-6
	Volume	Sam. Stnd. Dev.	2.54 4.18 2.79	6.11 3.04	0.71 0.91 2.27 2.87 0.71	2.08 2.22 2.0 13.13	1.20 1.15 2.17 6.35	2.83 1.00 0.58
orkin		•3vA	5.0 9.6 4.8		\$2000 \$2000	24.0 89.0	~~~~ 0.0.4.~ 0.0.0.	4.0 5.4 4.6
5. 111 <sub>1</sub>	Time	Range	7-201 4-51 30-442	10-47	28-180 19-185 13-402 4-135 18-54	21-151 14-275 11-300 24-296	19-92 41-139 23-145 7-70	76-83 29-91 18-199
	Round Trip	Sam. Stnd.	36.97 11.5 92.97	က်က	39.89 33.38 72.30 24.32 20.73	28.65 29.06 59.45 68.98	25.16 49.66 51.71 25.11	4.95 27.10 95.60
	Rou	•3vA	52.8 21.5 164.0	3:5	87.7 103.2 93.1 23.3 39.0	56.3 78.2 85.6 88.5	61.7 61.7 25.2	79.5 49.2 69.2
·		No. of Runs	55 29 10	79	113 113 40 5	13 13 13	10 m D/c	wnn
		Bldg. No.	349 12	351	PIERS 1 8 370 91	9 168 92 170	41 117 13 371	22 11 338

TABLE IV (continued)

	2.4 0.33
•	0.51 0.46
	0.51
	96.0 0
	91.9 0.32 2.99
	0.3
100 100 100	91.9
1-5 2-28 5-8 5-7	
2.3 0.78 7.6 6.09 6.7 1.00 5.7 1.00	
5.7 2.3	
58-111 4-47 59-130 59-310	
37.48 23.9 77-59 79.8	-
70.7 22.8 87.7 85.2	
23 033	450
40 370-371 168-170 20,21,22,39,40,41	Total

table covered a period of 44 days ending on 30 April, 1979. During this time 824 log entries (runs) were made. However, Table IV only contains 460 runs. This excludes runs made less than three times.

From Table IV it can be seen that NAS Supply warehouses (buildings 369, 361, 364, 8, 370, 91, 9, 168, 92, 170, 117, and 371) received 271 of the 398 runs (69.1 percent). Also, it can be seen that NARF buildings (5, 12, 11, and 338) received 75 runs (13.9 percent), and the other buildings received 52 runs (12 percent). Thus, it is obvious that the majority of the Delivery Section's transportation runs are for NAS Supply.

The distribution of the number of load units carried by type is presented in Table V. From this table it can be seen that 85.9 percent of the loads carried were on pallets (flats). This type of load requires the use of a stake truck for ease of loading and unloading. These two-ton trucks are capable of carrying up to six pallets at a time. Since the overall average load carried for this period was 5.2 pallets, this size of truck is well utilized with respect to load.

Of the 824 total runs, 430 runs (52 percent) stopped at more than one building (See Table IX). After comparing these various runs with the established runs of Appendix F it is apparent that only the Squadron Run (the first page of Appendix F) was consistently made. The remainder of these runs appeared to be aggregated by area of the Station.

TABLE V

DELIVERY SECTION LOAD TYPE DISTRIBUTION
OUT OF BLDG 368
44 Working Days Ending 30 April

LOAD TYPE	TOTAL NUMBER	PERCENT OF TOTAL
Flats(pallets) (3ftx3ft)	3582	35.9
Skids (3ftxóft)	34	•79
Crates and Boxes (2cu ft and up)	256	5.97
<pre>Pig Pens (3ftx3ftx3ft)</pre>	26	.61
Drums (55 gal)	28	.65
Jet Engine Cans (25 cu ft to 120 c cylinderical in sh	u ft, ape)	2.87
Ground Support Equipment (various sizes of wheel carts)	7	.16
Pissiles (1 to 2 sq ft by 8 to 10 ft)	. 115	2.68
Miscellaneous	17	.40
TOTAL	4288	

Since the volume waiting to go to each destination was not known; how well the aggregation was done can not be determined. However, the mere layout of the Delivery Section's floor space makes area aggregation easy.

Figures 11 and 12 show the volume distributions with respect to time-of-day and day-of-week respectively. From Figure 11 it can be seen that volume peaks between 0800 and 0830 and between 1300 and 1330, as might be expected. During the remainder of the day the volume is relatively constant. Figure 12 shows that Tuesday, Mednesday and Friday are the peak days.

Not Out of Building 368. Analysis of the logs for the two-ton stake trucks not working out of building 368 was more difficult. Usually only one log entry was made by a driver for each day even though, several stops were probably made during the logged time period. This makes the delivery times between buildings very difficult to determine because of the many unknown factors that are included. For this reason no summary table of how long it took the trucks to deliver to various buildings can be presented. Only the volume distribution with respect to day-of-week can be determined. It is shown in Figure 13. From Figure 13 it can be seen that volume for each day is relatively constant with Thursday being the slow day.

Off-Station. The logs that were kept concerning off-station runs are the Vehicle/Equipment Request and Record (MAVFAC 9-11240/1; 3-58). A copy is

Delivery Section
Out of BLDG 368
Time of Day Distribution
44 working days ending 30 April




Figure II

# Delivery Section Out of BLDG 368 Day-of-Week Distribution




Figure 12

Tuesday

**Monday** 

Wednesday

Thursday


Friday

Delivery Section

Not Out of BLDG 368

Day-of-Week Distribution

44 working days ending 30 April



provided in Appendix D-5. Since this log does not contain any information on how much material, what type, and which local customer, only the off-station destination, distances and times were analyzed. Table VI contains a summary of the off-station runs (generally by city within the Bay Area). Figures 14 and 15 contain the number of runs distributions with respect to time-of-day and day-of-week, respectively. The period of time covered by this analysis is 60 days ending on 30 April, 1979. During that time period 122 runs were made.

Further analysis of this off-station log gives a mean of 2.4 trips per day and a mode of 2 trips per day. The mean miles per day is 78.2 miles with a sample standard deviation of 44.73 miles per day. Also, the mean hours expended per day is 10.4 with a sample standard deviation of 44.73 miles per day. Also, the mean hours expended per day is 10.4 with a sample standard deviation of 3.31 hours per day. Basically, what this means is that two men spend on the average 5.2 hours a day driving 39.1 miles.

In Table VI the average round trip time and distance for Naval Supply Center appear high because only one log entry is made per day. The logged period of time was 7½ hours and two trips are actually made each day during this time to NSC Oakland. Also, much of the time the driver does some picking and routing of documents [4]. Of course, logging NSC runs this way will also greatly

TABLE VI

SUMMARY OF DELIVERY SECTION'S OFF-STATION RUNS

April
ಜ
Ending
Days
Working
90

		Round Tri	p Time fr (mins)	Round Trip Time from Bldg 368 (mins)	Mileage Bldg	Roun 368	d Trip from (miles)
Off-Station Destination	No. of Runs	Average	Range	Sample Standard Deviation	Average	Range	Sample Standard Deviation
FSC Oakland Oakland Oakland Airport San Francisco Alameda	63 14 10 8	443 121 75 152 203	; 40-525 31-290 41-180 89-231 151-346	159.6 84.02 40.88 52.5 16.01	37.0 22.2 22.0 49.0 12.8	3-50 3-58 7-31 31-64 2-26	12.54 14.68 7.36 12.13 10.56
San Francisco Airport San Leandro San Bruno Stockton San Mateo	rt 4 22 1	145 60 368 429.5 215	106-180 45-74 211-525 334-525	35.88 11.43 222 135.1	56.8 21.5 50.5 174.5	53-50 19-28 43-58 168-181	3.78 4.36 10.51 9.19
NAS Moffett NSC Oakland & Oakland	г г	21.5			86		
Hayward & San Leandro Palo Alto Palnut Creek Treasure Island	ааа	135 254 91 120			30 100 28 28		

122

TOTAL




Figure 14

Delivery Section
Off-Station Runs
Day-of-Week Distribution
60 working days ending 30 April




Figure 15

increase the number of runs made early in the day. This can be seen in Figure 14.

Semi-Trailer Movement. The last area for which the Delivery Section maintains a log is for the movement of semi-trailers. This log only contained information concerning which buildings the trailers were moved between, whether the movement was for a spot or not, and the time the movement was requested. Trailers were spotted (parked) at a certain location to slowly accumulate a load. This accumulation might then take several days. No information was available to determine how long trailers were spotted, what volume was moved, or what type material was moved.

The data used from this log covered 36 working days ending on 30 April 1979 and contained 205 trailer movements. Table VII summarizes the movements, including spots, and Table VIII summarizes the semi-trailer spots made during this time period. Figures 16 and 17 give the demand distributions with regards to the day-of-week and time-of-day, respectively.

From Table VII it can be seen that 127 moves (61.7 percent) were made from building 368. This indicated that the logging procedure for empty trailer movements had them starting at building 368. This was confirmed by reference 4.

70 of the 205 movements (38.3 percent) were movements to

TABLE VII

SUMMARY OF DELIVERY SECTION'S SEMI-TRAILER KOVEMENTS

35 Norking Days Ending 30 April 1979

From

5 | 9 | 11 | 12 | 13 | 20 | 22 | 23 | 28 | 39 | 41 | 58 | 88 | 99 | 11 | 3 | 16 | 16 | 16 | 16 | 170 | 270 | 338 | 364 | 368 | 359 | Piers 170 270 378 364 358 359 Piers 167 158

TABLE VIII

SUMMARY OF DELIVERY SECTION'S SEMI-TRAILER SPOTS

36 Working Days Ending 30 April

Spot Location Building Number	Quantity	Percent of Total
5	5	7.6
9	4	5.1
11	9	11.4
12	2	2.5
13	1	1.3
22	1	1.3
23	3	3.9
39	1	1.3
168	3	3.8
170	3	3.8
270	2	2.5
354	11	13.9
368 <b>-</b> 3	1	1.3
368-D	23	29.1
368 <b>-</b> E	2 \ 29	2.5 35.7
368(Section	not noted) 3	3.8 <b>)</b>
369	3	3.8
400	_1_	1.3
	TOTAL 79	

Delivery Section
Semi-Trailer Movements
Day-of-Week Distribution
36 working days ending 30 April




Figure 16

Delivery Section
Semi-Trailer Movements
Time-of-Day Distribution
36 working days ending 30 April




Figure 17

spots. Of these spots, 36.7 percent were at building 368, with the majority at the Delivery Section (section D). The Delivery Section uses these semi-trailers to deliver items too large for their two-ton stake trucks. Also, the trailers are used to deliver batches of material which are bound for one customer and are too many in number for one two-ton truck to handle [12]. No information was available to determine the portion for these two uses.

the number of semi-trailer moves is the highest on Wednesday and Thursday. During the rest of the week the number of moves is relatively constant. From Figure 17 it can be seen that the demand for trailers is the greatest in the early morning (before 0830). The demand remains relatively constant for the rest of the day with the two exceptions of just before lunch time and quitting time, then the demand dies.

Truck Utilization. Before departing this discussion of the Delivery Section the utilization of their vehicles should be discussed. Since no data was available for the semi-trailer or forklifts, only the two-ton stake trucks will be discussed.

Table IX is a summary of the two-ton truck utilization. From this table it can be seen that the mean utilization is only 4.87 hours per day. This is based on ten trucks. There are two reasons why this figure might be low. The first is that the lower utilized trucks were actually down but counted as usable. Trucks that are down.

TABLE IX DELIVERY SECTION TMO-TON STAKE TRUCK UTILIZATION FOR THE MONTH OF APRIL

Truck No. (1)	No. of Runs	Utilization hrs/day	Total Miles Driven (2)
825	57	5.8	235
781	89	3.5	495
822	7?	2.9	303
319	142	3.9	433
814	93	2.5	249
912	48	5.1	257
826	30	7.5	<b>5</b> 85
837	27	8.3	574
424	24	5.4	640
435	15	2.8	441

Mean - 4.87 hrs/day = 421.2 miles/month

Sample Standard Deviation = 2.07 hrs/day = 152.6 miles/month

NOTES: (1) These are only the last 3 digits of the USM Humber.

(2) Reference 18.

less than 72 hours at a time are considered usable.
Unfortunately, no permanent records was kept of down time [13].
The second reason could be that ten trucks are not needed to handle the volume.

Of course, this low utilization could be caused by April possibly having been a slow month [12]. Unfortunately, because of the delay in recording on the Demand History File (the data base for Appendix A's monthly demands history), it could not be determined if April was indeed slow.

(2) <u>Aviation Support Division</u>. The Material Delivery Section is responsible for transporting material for the Aviation Support Division.

According to a memo [14] by Fr. Vranich, the Supply Response Branch Head,

The main concern of the delivery section is to meet one (1) and two (2) hour time frames on all issues including OSI, RCA pool, and expeditious repair, this includes all priority 03 AVP (awaiting parts) requests. The above requirements will take preference over any other requirements.

This statement sums up the attitude and requirements of ASD's delivery section.

To accomplish this two pickup trucks, two vans and 2 two-ton stake trucks are used. As of 4 May 1979, the delivery section had only five of the six allowed drivers (including the supervisor). Each driver carries a walkietalkie for communication with the supervisor in building 41.

Four routes have been established. These

are:

- Mail pickup and delivery for all ASD offices. This is to be done at least twice daily, once in the morning and once in the afternoon.
- MORS and MSC Oakland run. This includes the pickup of Issue Group I material from the Receiving Section in building 368, section A, and its delivery. Also, runs are made to NSC Oakland for urgent material. This is to be done at least twice daily; once in the morning and once in the afternoon. However, the portion to NSC Oakland is not always made twice each day.
- Delivery from building 41 to buildings 11, 363, 117, 170, and salvage. This is done on a continuous basis all day long.
- Pickup and deliver material from each warehouse issue station. Also, pickup all retrograde material and deliver it to building 41. This is done the first thing in the morning[14].

With two drivers committed all day for the NORS and NSC Oakland run, and building 41 to buildings 11, 368, 117, 170 and salvage run. The remaining three drivers respond directly to the squadrons' material requisitions. Of course the NSC Cakland run should always be in response to a squadron requisition.

To see what these three drivers do, their logs were studied in a way similar to the Material Division logs. A page from these logs is in Appendix D-7. For

volume considerations each line entry in this log can be considered as one piece of material [5]. So the number of runs to a building is equivalent to the volume delivered there. A period of 13 working days ending on 7 March 1979, which contained 205 runs was used for this analysis.

three drivers based on their logs. It contains a summary of the delivery times, one way, to each of the buildings served by ASD and a summary of warehouse service times associated with these ASD deliveries. Review of this table shows that the average delivery times exceed the Naval Aviation Maintenance Program's [8] for one hour delivery for Issue Group I in six of the nine cases. However, the Issue Group II requirement of two hours was met in all nine cases. (This includes the average computer response time of 45.3 minutes [4]). Finally, the time spent waiting in the warehouse for a part is only 12 percent, on the average, of the overall delivery time.

Figures 18, 19, and 20 gives the volume distributions with respect to warehouse, time-of-day and day-of-week, respectively. From Figure 18 it can be seen that building 8 and 371 supply 68.7 percent of the materials to the squadrons. From Figures 19 and 20 it can be seen that the volume is greatest on Thursday. Also, the work load peaks between 0800 to 0900 and 1000 and 1100 [14].

TABLE X

AVIATION SUPPORT DIVISION'S


MOVEMENTS

13 Working Days Ending 7 March

	1	TIME (mins)						
BLDG. No.	No. of Runs	Avg(1)	Sample Stand. Dev.	Range				
41	115	2.4	20.73	4-76				
Piers	10	41.8	15.05	4-51				
23	11	13.9	15.28	5-40				
SJ	28	23.5	18.82	5-66				
22	15	12.9	12.82	4-35				
39	5	20.2	5.02	15-25				
<u></u> μ0	9	25.2	25.2 21.9					
20	10	16.7	16.67	5-56				
22	1	55.0	55.0					
Subtota	1 205	27.8						
'arehouse	s	(2)						
8	120	2.7	8.42	2-31				
92	21	3.8	3.77	4-70				
117	15	5.9	2.20	4-10				
91	6	8.7	5.68	5-56				
13	1_1_	5.0	l					
Subtotal	164(3)	3.4						

- NOTES: (1) Average Delivery Times Time from departing BLDG 41 until the time material is delivered.
  - (2) Average Varehouse Service Time Time from arrival until departure at a warehouse (included in Average Delivery Time).
  - (3) 205 runs were made but not all of the warehouse times were recorded.


### Aviation Support Division Warehouse Distribution



Ref. 4

Figure 18

## Aviation Support Division Time-of-Day Distribution 13 working days ending 7 March




Hours

Ref. 4 Figure 19

Aviation Support Division

Day-of-Week Distribution

13 working days ending 7 March



### b. NARP's Transportation Branch

MARF's Transportation Eranch transports materials with a variety of equipment. This branch transports both internal material (between NARF shops) and material coming from NAS Supply and other locations.

To accomplish this transportation, 40 vehicles are radio equipped, and can be radio dispatched by a dispatcher in building 500. In addition, two mule trains, one running clockwise and the other running counterclockwise, carry material within the centrally located MARF buildings (5, 12, 11, 400, 39 and 44).

The rest of MARF's more than 100 vehicles transport material simply by stopping at an internal route location and looking at the Route Slip (12ND MARFA 4615/2: Rev. 9-73), then moving it where the slip says to move it. No set pattern is required of each vehicle, and no monitoring is done [15].

In order to study the flow of incoming materials around the NARP, a log was drafted and distributed to the drivers most likely to handle incoming material. The intent of this log was to determine the time required for incoming material to reach the internal route locations. It was recognized that some of the data obtained would not be for incoming material; but, it would still help determine the desired times. A page of this log is included in Appendix D-8.

average time spent at an internal route location is 11.0 minutes and the overall average time spent traveling to an internal route location is 8.3 minutes. The overall average stop time for a building is 12.8 minutes, with an overall average of 16.5 minutes spent traveling to it. It is interesting to note that 72 of 239 runs (30.1 percent) were to MAS Supply warehouses.

From Table XII it can be seen that buildings 5 (MARF's main building) and 400 (NARF's power plants building) see the most volume. Also, the volume passing through each MCC is relatively even.

#### B. COSTS

The operating cost will be the focus of NAS Alameda's Material Distribution System cost study. The costs that will be discussed are the vehicle operation and maintenance costs, the personnel costs (both supervisory and direct labor) and the costs associated with the occupation of storage and staging spaces. Not all of these will be presented for all of the divisions because they were not available. The costs associated with the NAS Alameda Supply Department will be discussed first, with NARF's costs to follow.

### 1. NAS Supply Department Costs

The quantified costs associated with the NAS Supply Department involved truck rental charges, Material Handling Equipment (MHE) costs, and personnel costs. Also, an

TABLE XI

SUMMARY OF MARF'S MOVEMENTS

r 1979)																		
to 26 October 1979)		Range	5-11-5	100	8-10		1-t	T ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	2-7	1 (	8-20	5-12 8-13	2-4	1-2		10-15	4-35	15-20
(22 to	TIME (mins)	Standard Deviation	16.39	24,0	46.0	!	1.41	7.(7	2,18	1 !	5.65	2.71 0.94	76.0	0.0	, (	5.0	11.99	3.10
CI NEWS AO	TRANSIT	AVG	17.5	2.0	3.7		000	0.4	5.1	30.0	12.0	7.8	3.3	3.3		20.02	19.2	15.0
SOMMANI OF WARF S MOTEMBRIS	TIMC (mins)	Range	10-4.5	4-6 6-7	8-15	٧ - ١	2-14	0 <b>7-</b> 5	2-11	1816	10-13	1-10 8-10	7-2	2-4	(	15-30	1-9	5-20
OURIGING		Standard Deviation	2.5	0.94	3,30	0.42	100 c	0.43	0.02	1 4	1.41	3.14	46.0	16.0		5.50	2.34	06.5
	STOP T	AVG			10.3		10.0				12.0	9.7	3.3	3.3		18.8	$\kappa$	0.47
		λὧὒ	1/	<i>w</i> ~	, (L.) (L.)	, m	<i>ر س</i> د	ンキ	<i>(C)</i>	2 0	3 C	ι.	8	01 W	. (	~ <i>÷</i>	VC 1	5
	Stop	Location	25	ሊ ራ ሊ	,5 ,5 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0 ,0	, V	600	289	20	22	7/	77	81	83 93	. (	A 2	Vg	. 25

		Range		5-60 10-40	2-15 5-15	
tinued)	TRAUSIT TIME (mins)	Standard Deviation	-	16.34 12.37	0.02	
TABLE XI (continued)	TRAUSI	AVG	0.5	21.0 25.5	11.0	8.6
TABLE		Range	9-11	10-25	8-45 10-20	
	STOP TIME (mins)	Standard Deviation	1.0	9.92	0.40	
	STOP	AVG	10.0	21.3	19.7	11.0
		QTY	2	800	22	. 107
	S.ton	Location	50	34 E7	02 07	Subtotal 107

	30-58	1-10	2-30 1-10 3-5	1-3 2-55 1-35 1-40	3-45
	14.0	3.23	8.27 3.61 1.00	0.82 10.89 8.33 12.19	5.20
	6,44.0	6.1 5	10.4 5.4 4.1	2.0 19.2 12.4 13.3	10.9 7.5 3.0 16.5
	5-35	3-9	2-25 1-4 5-15	1-3 5-40 2-35 5-20	2-30 2-30 3-20
	15.0	2.42 1.0	6.58 1.20 4.68	0.82 3.26 9.58 5.25	7.75 10.01 6.05
	20.0	4.9	10.25	2.0 16.8 17.7 9.1	17.5 12.2 8.2 12.8
Mumber	12	22	10	3 201- 114 7	11 10 5
Building Mumb	# MCC	14 10	162 * * 163 *	251 350 * 358 *	400 500 530 Subtotal

тога. \*НАЗ Alameda Supply Department warehouses

TABLE XII

MARF'S VOLUME DISTRIBUTION WITH RESPECT TO INTERNAL ROUTE LOCATIONS APRIL 1979

Total <u>Humber</u>	♂ of <u>Total</u>	Internal Route <u>Location</u>	Building No.	<u>MCC</u>
179 25 433 157554 1-3 103 133 221 1-96 1725 1-29 1725 1-29 1725 1-29 1725 1-29 1725 1-29 1725 1-29 1725 1-29 1725 1725 1725 1725 1725 1725 1725 1725	9.072 .1014 2.179 10.283 .101.283 .101.283 .2811.710 .710 .710 .710 .710 .710 .710 .71	- J87 7831 7662342513211415411986721331528852	530 1604 1604 1604 1604 1604 1604 1604 160	AALLFAALAAAAAAAAALAAFLAAAAAAAAAAAAAAAAA

TABLE XII (continued)

Total <u>Number</u>	% of <u>Total</u>	Internal Route <u>Location</u>	Building No.	MCC
8 53 14 75 7 9 34 55 25 20 15 18 18 18 18 18 18 18 18 18 18 18 18 18	.505 2.28 .559 .203 1.876 7.355 .459 .207 .311 1.559 .207 .311 1.559 .312 .329 .312 .452 .363	BEBC 73E153056272579419	5 5 5 5 5 5 5 5 6 0 17 5 5 0 3 6 0 3 6 0 3 6 0 3 6 0 3 6 0 3 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 6 0 1 3 1 3 6 0 1 3 6 0 1 3 6 0 0 1 3 6 0 0 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	AAAALLAFALLLLLLLFLLLLLLLLL

Total 1973 100.0

MCC	Volume	7 Total
A T	501 785 585	30.46 39.84 29.7
Totals		100.0

NOTES: (1) Where no internal route location is specified the MCC serves as the internal route location.

(2) Data obtained from a history file of requisitions during April 1979 collected by LCDR P. Benefeild.

estimate was made of the cost of occupying storage and staging occupied space. Truck rental charges are the cost to the Supply Department for the rental of street type vehicles from the Public Works Center at San Francisco. These charges include a monthly rental charge and a mileage charge. In essence, these charges include all the maintenance and operating costs (except drivers) for these vehicles. Table XIII summarizes these monthly rental charges for class B and C rentals. A Class B rental vehicle is rented on a permanent basis. A Class C rental vehicle is rented on a day-to-day as needed basis.

The costs related to the material handling equipment (mainly forklift trucks) which were obtainable were mostly maintenance costs since the operation costs for this type of equipment was not available. Table XIV contains a summary of the available NHE costs.

An interesting sidelight is that NAS Supply's NHE maintenance is contracted from a private company through the Government Services Agency (GSA). The Public Works Center has the capability and capacity to perform the maintenance, however, contracting this service has proved to be both less costly and to provide higher quality repairs [16].

The personnel costs associated with the Supply Department are presented in Table XV. These costs include the supervisors as well as the direct labor. The direct labor costs include forklift drivers, truck drivers, and warehouse men.

TABLE XIII

SUMMARY OF SUPPLY DEPARTMENT'S PUBLIC HORKS VEHICLE SHARGES Based on Charges in April 1979

Vehicle '‼ype	Notal No. of Class D (1)	Branch/ Division	Tumber	Monthly Mileage Rate Chrg.Charge	Kileage Charge (令) (1)	Avg hileage (miles) (2)	Total Fonthly Charge
Pwo-Ton Stake Truck	13	Traffic Storage ASD Subtotal	13	\$142	.123	346	2,399 369 185 2,953
1/2 Ton Pickup	6	ASD	2	83	620.	8941	240
<pre>"ruck multi stop (van)</pre>	8	ASD	2	98	620.	345 40tal	251
Average Average (	Average monthly semi-trailer costs Average Class C charges (Supply Dept.) \$4027 Allocated to the Transportation System	trailer cos es (Supply Pransporta	ts Dept.) : tion Sys	(2) 4027 (2) tem (3)			8,129
NOTES: (1) (2) (3)	Reference 16 Reference 18 Roughly 23.6% shown 23.6% = $\frac{3443}{11.582}$	s sh 1413 1582	ould be allocated Transportation System total monthly Class B	ould be allocated <u>Transportation System</u> Class total monthly Class B	В	rotal Total yearly costs	s \$150,280

TABLE XIV

SUMMARY OF SUPPLY DEPARTMENT'S MATERIAL HANDLING EQUIPMENT COSTS 1 Sept 78 Ref. 19

		1 Jar	1 Jan 78 to 31 Sept 78		kei. 19
Pype Equipment	Total Number Supply	Mumber	Branch/ Division	Repair Costs	Yearly Operations Hours
"arehouse tow	12	8	Receiving &	2,436	414
tractor (mule)		٦	Streening Delivery	811	468
	Subtotal	2 0	Storage	1,105	1,382
	Ave	Average per	per month 850.13	153.6 h	153.5 hrs/month per vehicle
Fork Lift Trucks (all types and	12	ω	Receiving & Screening	5,522	2,093
capacıtıes/		†	Delivery	2,761	1,047
		۲.	Packing	3,451	1,308
		18	Storage I (1)	12,425	4,710
		6	Storage II(2)	6,212	2,355
		10	StorageIII(3)	6,902	2,617
		22	Storage Annex 15,186 (4)	15,186	5,756
			ASú	89	262
	TOTALS	77	53,149	\$/month	29.1 hrs/month

TABLE XIV (continued)

	(1) Storage (I) buildings 8, 9, 91, 92 (2) Storage (II) buildings 13, 117 (3) Storage (III) buildings 168, 169, 170, Engine Lot (4) Storage (Annex) buildings 361, 364, 369,370, 371, Drum Lot
29.1 hrs/month	buildings 8, 9, 91, buildings 13, 117 buildings 168, 16 ex) buildings 361,
Average per unit 76.69 \$/month	NOTES: (1) Storage (I) to (2) Storage (II) (3) Storage (III) (4) Storage (Annet (4) Stora

Type Equipment	Total Number Supply	Number	Branch/ Division	Repair Costs	Yearly Operations Hours	
Industrial Flat bed truck	15	2	Receiving & 1,253 Screening	1,253	261	
(Gasoline)		7	Storage(Annex) 526	9X) 626	130	
		7	ASD	626	130	
	TOTALS	9		3,759	783	
Average	ge per unit 69.61 %/month	69.61		14.5 hrs/month		

263	263	
Storage (I) 1,797	1,797	14.6 hrs/month
2 Sto	8	Average per unit 399.83/month
3	TOTALS	ge per unit
Industrial	Plat bed truck (Electric)	Avera

Total Monthly Cost =  $\beta$ 7,064 Total Yearly Cost =  $\beta$ 84,763

TABLE XV
SUPPLY DEPARTMENT'S PERSONNEL COSTS
Estimated for the Year of 1979

Job Title	Grade	Qty_	Total Pay (3/hr)
,	MATERIAL DIVISION		
Material Control Offic Clerk Typist	cer LODR GS-4 Subtotal TRAMFIC BRANCH	1 1 2	20,832 11,054 31,385
Traffic Manager	GS-13	1	32,312
<u>:</u>	RECEIVING SECTION		
General Foreman Inspector (Gen. Equip Shipment Clerk Clerk Typist Tarehouseman Foreman Tarehouseman Leader Tarehouseman Forklift Cperation Tarehouseman Laborer	.)	1 2 1 1 2 11 2 <sup>1</sup> / <sub>4</sub> 1 1 49	26,395 35,817.6 13,785 12,368 9,846 46,425.5 197,454.4 448,780.8 16,307.2 16,307.2 62,067.2 19,705.5
1	SCREENING SECTION		
Toreman Material Sorter & Identifier Marehouseman Leader Marehouseman Forklift Operator Supply Clerk	MG-6 MG-5 MG-5 MG-5 GS-3 Subtotal	1 5 1 4 1 13	23,259.6 85,592 17,950.4 65,228.8 16,307.2 9,845 218,137.2
:	SHIPPING SECTION		
Supervisor Varehouse Toreman Varehouseman Traffic Management	GS-11 MS-4 MG-6 MG-5 MG-4	1 1 3 2 1	22,672 21,611.2 51,355.2 32,614.4 15,516.8
Specialist	GS-8	1	16,965

TABLE	XV	(continued)

Job Title	Grade	2tv	Total Pay (3/hr)			
Shipment Clerk "" "Plexowriter Operator Supply Clerk Clerk Typist	GS-7 GS-5 GS-4 GS-4 GS-3 GS-2 Subtotal	1 3 1 4 1 2 1 22	15,317 37,104 11,054 44,216 11,054 10,592 8,902 308,073.6			
<u>PACK</u>	ING SECTION					
General Foreman Clerk Typist Packer Foreman " Leader Packer Warehouseman Blocker & Bracer Foreman Blocker & Bracer Woodworker Forklift Operator Warehouseman	WS-11 GS-3 WS-6 WG-6 WG-6 WG-8 WG-8 WG-8 WG-7 WG-5 WG-5 WG-5 WG-4 Subtotal	1 1 1 22 1 2 13 1 1 1 1 2 2	25,728 9,346 23,212.8 13,824 423,771.2 19,489.6 49,587.2 243,089.5 18,699.2 17,908.8 16,307.2 16,307.2 16,307.2 16,307.2 16,307.2			
DELIV	ERY SECTION					
Foreman Motor Vehicle Operator Marehouseman Olerk Typist	MS-6 MG-6 MG-5 GS-2 Subtotal	1 10 3 1 15	23,212.8 171,134.0 48,921.5 8,902.0 252,220.4			
SHIPS SUPPORT SECTION						
Foreman Leader Crane Operator Rigger Rigger Worker	US-11 WL-10 UG-11 WG-10 UG-5 Subtotal	1 5 7 1	26,728 22,318.4 105,456 142,105.6 16,307.2 312,915.2			
STO	RACE BRANCH		•			
Ceneral Poreman Parehouseman Foreman Parehouseman Leader Parehouseman Motor Vehicle Operator Parehouseman	MS-9 MS-6 MG-5 MG-5 MG-5	1 3 13 2 2 2 30	25.584 69.638.4 233.355.2 34.236.8 34.235.8 489.216			

TABLE XV (continued)

Job Title	<u>Grade</u>	<u>Qty</u>	Total Pay (3/hr)
Laborer Supervisor Supply Clerk Supply Clerk """ Clerk Typist	''G-3 GS-7 GS-5 GS-4 GS-3 GS-2 Subtotal	2 1 1 1 3 1 63	29,411.2 15,317 12,358 11,05 <sup>6</sup> 29,538 8,902 992,857.4
STORE	S SECTION B		
General Foreman Varehouseman Foreman Varehouseman Leader Varehouseman Varehouseman Laborer Clerk Typist	MS-9 MS-6 MS-5 MG-5 MG-4 MG-3 GS-2 Subtotal	1 11 30 5 1 2 58	25,584 92,851.2 197,454.4 68,473.6 489,216 77,584 14,705.6 17,804 983,572.8
AVIATION	SUPPORT DIV	ISION	
Supervisor Orivers	NL-5 NG-4 Subtotal	1 3 14	17,950 45,550 54,550
•	TOTAL	291	34,727,090/yr 3 393,924/month

## Reference 20

NOTE: No step information was available so these figures are for the intermediate steps.

'G,L,S Step 3
GS Step 4

From Tables XII, XIV and XV it can be seen that the total monthly cost for equipment is about 320,000 while the total monthly personnel costs are roughly 3400,000. A summary table of these costs are presented in Chapter III.

Table XVI presents the various building sizes associated with the Material Division. Because these buildings are used almost totally for the storage and staging of material, their sizes can be directly related to the cost of occupying space for storage and staging. Unfortunately, the actual costs of operating and maintaining these buildings were not available.

For the Aviation Support Division building size is not a good measure of these costs. The buildings which contain storage and staging spaces are used for much more, and the storage and staging spaces are only a very small percentage of the total building space. No good measure of the cost of occupying space for storage and staging was found for these two organizations.

### 2. MART's Distribution Costs

The costs that can be associated with NARP's distribution of material are street vehicle rental costs, material handling equipment costs, and personnel costs. The costs associated with the spaces used for staging and storing material could not be identified. This space is small relative to the total space.

The definitions of street vehicle rental costs, material handling equipment costs and personnel costs are the

TABLE XVI LIST OF SUPPLY DEPARTMENT'S MAREHOUSE SIZES April 1979

Building No.	Size (ft)	<u>Use</u>
8	422 x 211 per floor (3 flo	
9	845 x 211	Storage
91	475 x 211	Storage
92	533 x 153	S to rage
117	581 x 316	Storage
168	713 x 264	Storage
169	528 <b>x</b> 264	Storage
170	528 x 264	Storage
351	924 x 254	Storage
364	$343 \times 317$	Staging & Storage
358	1320 x 264	Staging
359	1056 x 264	Storage
370	1320 x 254	Storage
371	1320 x 264	Storage

same as they were for NAS Supply Department. Tables XVII, XVIII, and XIX present summaries of these costs respectively.

From these tables it can be seen that the equipment costs for NARP's Transportation Branch are \$49,200 per month and the personnel costs are \$22,072 per month.

This is a total annual expenditure of \$855,264. It must be remembered that not all of this cost can be contributed toward the movement of material into the NARP. In fact, according to Nr. R. Gums [15], only about 10 percent (\$36,000) of this cost can be contributed to the movement of incoming material to the internal route locations. The remainder should be contributed to the internal movement between shops.

Trom Table XVIII it can be seen that the overall utilization for MHE is 21.5 percent. This seems very good based on the ideal utilization of 24 percent (173 working hours per month/720 total hours per month). In short, the 21.5 percent utilization means that the engine is running 7.2 hours a day. However, the data used to determine utilization is based on a meter which measures engine operating time. Unfortunately, no determination can be made of how productive the equipment is because it could be idle even though the engine is running.

### TABLE KVII

SUIDARY OF MARF'S PUBLIC WORKS VEHICLE CHARGES Based on April 1979 Ref. 22

Class B rental charges Class C rental charges

35 vehicles

8 6.713 per month 311,446 per month 318,159

Total

Ref. 21

## TABLE XVIII

## NARF'S MATERIAL HANDLING EQUIPMENT COSTS 1 October 1978 to 31 September 1979

Type Equipment	Total Number	Average Repair Cost Per Unit	Average Utilization (3)	Average Cost per Unit ( '/month)
Tow Tractor	35	423	24.6	35.26
Tarehouse Cranes Forklifts	6	309	16.0	25.71
(Gasoline) (Diesel) (Electric) All Types	56 3 32 91	159 1542 407 2108	27.3 35.0 18.5 24.5	13.26 128.47 33.92 175.65
Industrial Fl Bed Trucks (Gasoline) (Electric) All Types	19 9 28	369 387 7 <i>5</i> 7	9.0 12.9 10.3	30.79 32.29 53.08
Electric Fallet Jack	s ll	9.18	25.0	0.77
Totals	130	2874	21.5	239.50

Total Cost per year = \$373,623

Total Cost per month = \$31,135

TABLE KIK

TRANSFORTATION BRANCH'S PERSONNEL COSTS, MARF September 1979 Ref. 17

Job Title	Quantity	<u>Grade</u>	Total Cost(1/hr)
General Foreman	1	:JS-11	12.85
Foreman	2	% <b>5-8</b>	23.84
Foreman	3	WS-6	34.34
Mobile Equipment Dispatcher	3	::1G-8	23,00
Aircraft Towman	9	179-8	85.14
Motor Vehicle Operator	2	11G <b>-</b> 7	18.54
Fork Lift Operator	2	EG-7	18.54
Material Expediter	1	₩ <b>G</b> +6	8.26
Notor Vehicle Operator	8	NG-6	70.42
Tork Lift Operator	28	70 <b>-</b> 5	222.50
Tractor Operator	1	TG-5	8.44
Upward Mobility Trainee	3	MG-2	19.32
Totals	<b>63</b>		3551.79

Total cost per year = 3264,859

Total cost per month = 322,072

## III. CONCLUSIONS

Conclusions will be drawn with regards to the NAS Alameda Supply Department and the NARF separately.

#### A. NAS ALAMEDA SUPPLY DEPARTMENT

The overall flow processes which involves NAS Supply are effective and efficient. The physical layout of the buildings matches the flow processes. This helps to avoid excessive movements and handling. For example, the bulk storage areas are near the receiving point (building 368).

Time constraints have also been considered when storing material. For example, the local (on station) customers which require a fast response time are fed from centrally located warehouses (building 3, 9, 91, and 92). Although some of the warehouses are relatively far away from some of the local customers the longest this distance is still less than 2.5 miles (See Appendix B).

There are some areas where improvements might be made. One area in which cost reductions might occur is the use of semi-trailers. The monthly equipment cost of the semi-trailer movements is 38,129 as opposed to 33443 per month for class B charges, and 3951 per month for class C charges (See Table XIII). Because this is almost twice the sum of the class B and class C charges, this area should be studied more closely to determine if the service provided really warrants its cost.

A summary of the estimated total costs for both personnel and equipment are contained in Table KK. From this table another area becomes apparent. That is, the Material Division personnel costs are more than 20 times that of the equipment costs (34.7 million to 30.2 million). This fact emphasizes the need to reduce personnel costs. One way to do this is by automating warehousing functions. Another way is by the use of less people intensive material handling equipment (i.e., automated conveyers rather than forklift trucks). Further study should reveal other alternatives.

There is also duplication between the Aviation Support and Material Divisions. Both divisions transport material from MSC Cakland on a daily basis. With further study, this duplication might be reduced without increasing the response time for the highly time constrained Aviation Support Division.

#### B. MAVAL AIR REWORK FACILITY

MARK's internal material distribution system can be characterized as having little control. The only record kept of where vehicles and material went was the five days of logs for this thesis. These logs showed almost 30 percent of these movements duplicated what NAS Supply already does. No routes are established for these vehicles either. Each vehicle only has a general area in which to move material; but, these areas are not written down to

TABLE XX
SUMMARY OF TOTAL COSTS FOR THE MATERIAL DISTRIBUTION SYSTEM

## Estimated for the year of 1979

Activity	Quantit	y Total Cost (3/yr)
MAS Alameda Supply Departmen	t	
Material Division		
Personnel Costs	287	4,727,000
Equipment Costs	<u>105</u>	<u>202,815</u>
Sub	ototal 392	4,929,816
Aviation Support Divisio	n	
Personnel Costs	4	54,500
Equipment Costs		<u>9,416</u>
Sub	ototal 11	73,915
IAS Supr	oly Total	
Per	rsonnel 291	4,791,500
Equ	ipment 112	212,232
Tot	tal	5,003,732
MARR		
Transportation Branch	•	
Personnel Costs	6 <b>3</b>	254,859
Equipment Costs	165	591.531
To	tal .	854,531
TOTAL SYSTEM COST		<u>\$5,850,122</u>

Mote: Information summarized from Tables XIII, XIV, KV, XVII, XVIII, XIX.

avoid confusion, overlaps and gaps. Also, no monitoring was done by supervisors to ensure that material does not get "pigeon holed" for indefinite periods of time or that vehicles are actually moving material rather than sitting idle [9,15].

The most control found was in the material requisition process (Figure 10). Then from Table II it can be seen that this process takes an average of 157.1 hours (6.5 days) for all Issue Group requisitions to be processed. Because this process was not studied in depth, further study is needed in order to reduce this time.

From the five day study conducted for this thesis, it became apparent that the Transportation Branch is duplicating some of NAS Supply's Material Division's runs. Specifically, 30 percent of the runs made by NART's trucks picked up material from NAS Supply warehouses (See Table MI). Because of this poor control and an annual cost of 3856,000 (See Table KK), the Transportation Branch should be studied further. The possibility of having NAS Supply deliver directly to each of NART's internal route locations should also be investigated.

APPENDIK A
LOCAL CUSTOVERS AND THEIR VOLUME

Bldg 2	Activity Name	No. of Requisitions	Percent of Total
Various Various Moffett 39 22	MARF Alameda NAS Alameda NAS Moffett Field Naval Air Reserve Unit Marine Air Reserve Training	83,845 13,377 4,793 1,745	76.67 12.23 4.38 1.50
20 20 21 40 Piers	Detachment VA 303 VA 304 VAQ 208 HG 85 USS Coral Sea (CV-43)	1,384 900 889 515 501 452	1.27 0.82 0.81 0.56 0.46 0.41
Piers 40 Moffett 77	USS Enterprise (CVN-55) VR 55 VP 91. NAS Moffett Field Maval Meather Service Facility Data Processing Service Center	245 225 116 80	0.22 0.21 0.11 0.07
Piers 1	Pacific Fleet, Alameda USS Ranger (CV-51) Vaval Disease Vector Ecology a	47 27 ind	0.03
e Gakland	Control Center  Maval Telecommunication Center  Mavy Regional Plant Equipment  Office, Oakland	26 13 13	0.02 0.01
21	VA2 309	12	0.01
	Maval Regional Dental Senter, San Francisco	11	0.01
Noffett	Tleet Aviation Specialized Operational Training Group Pacific Detachment Moffett	11	0.01
Lo Moffett	VRD-30 Maval Air Maintenance Training	10	0.009
Moffett	Detachment Moffett Commander Patrol Wings Pacific NSC Cakland	10 : 6 5	0.009 0.005 0.005
	Total	109,363	

Requisition Volume Distribution by Youth


<u>Month</u>	No. of Requisitions
January February March April May June July August September October	3,037 1,793 95 41 14,994 15,547 12,508 15,746 13,158 11,505
Movember December	11,442 8,469

Source: NAS Alameda Demand History File.

MOTE: Because of the various time frames in filing information on the Demand History File the most recent 5 months (Movember to April) may not contain all of the volume of requisitions.

APPENDIX B : DISTANCE CHART

	Piers	
	004	
:	2-1-2	
O	1.0	1
തെ 🗆	200-2	1
co Lot	0.2 6.2	
364		
	00-1	
	0 4 8	-
_ <del>ca-k-4 k k k k k k k-</del>	6.6.6	]
0 200 -01	7.7.	
69 - 60 - 60 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	77.7.0	
	6.0	3
2 000000000000000000000000000000000000	222	
m a a r r 4 a 4 a	N N N -	
ト40000000chvb	W W 4 V	
- WWW 400 4 4 - W- 0	0.00	
_ <u> </u>	10 m 4 0	•
0 0400000000000	4 4 6 k	2
9 NWWWWA00V	20 20 4	
	0 0 4 0	•1
2 - L B O C O O O A L L B O O O O B	8 9 9 - 0	-
	00000	•
	9.6 V.	1
m		-4
2 0 0 0 - 0 0 4 0 - 0 0 0 0 0 0 0 0 0 0 0	0020	
COMP WIND TO THE TO THE PORT OF THE PORT O	9 - 0	~
	00-	
		2
	10 W W	2
4 8 8 8 6 6 6 4 8 8 8 8 8 8 8 8 8 8 8 8	W W 4 V	7
** al   0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 7 9 -	
		ð
88		



APPENDIM D-1

# Flectric Truck Log Route BLDG 400:5

BLDG	SIDE	DRO	PPED		Picke	o up		ODOMETER
#		Number	1	Doc (5)	Number	TIME	Doc (5)	READING
8	North				3 TR195 2 Box	1027		NONE
92	South	ø	/030		ø	1030		
9	East	ø	1032		2	1034		
400	MCC F	all	1040		3	1043		
5	Mee A	Ø	1049		ø	1040		
8	North		1100			1100		
			Ro	ute B	193 <i>170</i>	\$ 360		
8	Noeth	ø			5 BOX 2 Trhys	1117		
92	South	Ø			2 B0x	1120	·	
9	East	ø			4 Box	1122		
170	mec L	2 BOX I TRAY	1127		1 TRAY	/131		
360	west	all	1144		ර	1145		
8	North		1/55			1155		
!								
						j.		
						:		
,	,	1			ı i		1	

DATA RECORD	(12-57)	Storage	Pranch!s	Two-Ton T	ruci: Tom	
BURNET 190					5 -2-7	10001111 (CATION )
11pm. 1.	- 04 -0	815	AR. 950	-410	U818.	15/400
	MH C	940	H 1025	HO	4932	1/5/500
	DH 10	940	Mys.	#	1\$20	5-8-79
	014 11	30	JE-1315	SHO	1145	DK45EN
	[]H 1=	200	0/ 1465	ANO	1315	DEPOS
	194 1	345	4/17/19	7/20	1415.	4
	DG 14	45	H0745	10	P785	1/1/30
4/13/79	A 0900	gl1315	20845	70	4545	15C113Y
Sloves	1/ 1030	\$1,500	1 2940	30	2915	ZILBRU
J2938	12/3/0	4/24/29	\$ 1050	1/0	10/5	742/1426
X1108	18,500	80145	12/3:5	1310	1/20	TIP IUKS
X 1325	4/19/79	AL0905	JL MSU	11	13:5	5-9-77
1/100	R0745	1045		HO	1425	04 0715
14/14/25	120900	X 1125	1150/2	3	1//25	Mr 0305
\$60,745	11020	16125	NS083	15.4.79	115/0814	11/ 1030
X 0930		A 455	115094		1030	11/1/20
SK 1.45	1/2/455	11	15/036	1) //.	1120	1330
1125	1 20/29	4/25/21	1/5/130	11)	1300	11/1 1430
Thus S	1 / ^	11508 x	75/320	1/1/	Bio	5-10-79
J.C,505	K 0945	156935	1460		1 1/ June	3/15
רן נון איי	1//	15/1530	1:00		19 43	9 7 9 3
\$K0745	121315	1/5/1.10			100	1 50 d 0 d
K0910	13/2,5,5	15131	5/17/	· · · · · · · · · · · · · · · · · · ·	5/1/19	10 09 Kg
1035	1/23/29	451410	15884	/	VS1083-	150 10154
JE 1315	JE 0745	VS 130V	Sim 1:30		VS0925	1/33
1/1/200	120915	4/20/29	L 2:50	<u> </u>	15-1000	13/5
14/18/29	100	10.1			1/5 1130	14/5
Alos45	Knus	AL 09.5			11/5/34	V

600	¥20 25 18													-									-						11 00 LA
LDG 368	•	2 10 10 10 10 10 10 10 10 10 10 10 10 10	1024 1721	128 1340	1134 1800		1327 1539	7/8/	0071, 00h1				1418/1545	1503 152V			2)42 0843		32401740	0108 0131	1200 5/30		>540 as yo			0150 py 20	0703 070	09% 1300	
tod Out of BLDG 368	Metrica	101 (Vert 16 )00 913 (V	8	ġ.	3-410	748	3- 76	\$20	,	۲/		7	Ace John	364	· -	0	3	361 W. W.	-	cl bag	170-112	"	338	203	301	37.6	1	168-91-52-111 0915 1300	1.100 E
DISPATCHER'S LOG		at appears	3 614	-	4 613	800				Henry	0 6		- C	:		29- 9090	7		0,7	1 (		13 6/23		ントのイン		2 7 6	$\overline{}$		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		-	Traffic Diang	Storage	SA Se	***************************************		" Constant	Insoduk "	ל בהנא	11 tens	Sing.	3			-3-3,0-79.	Traggie Diagous	Start !	2 taceage	" Storage	100	0	2	१८०१	Steines.	", Change	" Stores	(/ New )	1 8 32 32 B
<b>4</b> 1		the option of the option of	) Jano	- †	2 Ten Konette		1 Jun 2	Willyb Miletain Brown	tor Clash			7	- Call 18	The state of the state of the state of	-		XYON Clark	My Born	1 13 1 13 13 13 13 13 13 13 13 13 13 13	المالية المالي	Non Crew	1	عرامات مرماح	Charle	7,402	-0	2	Σ'	2 1 an Kernesta
Mark de l'approprie		Action (S) BTC 494 CA A 6	114812 2 601	18 - MY22 CKOK	45-14781 A	1127 - 221-14	FILINGE TION-16	Wille Alle	9574912 Stor	to The farm	1811 E.	is then a fam.		CONT. ASSESSED	1		15.14971 2V	11-1719 & Show	13 CM-25	o same		John Same	38-1462F	3151/2-1					7 4 14419 2.


9095	4-4-74	California de Calabara de Cala																	-							
10.368		1144 1745 1745 144 145 145 145 145 145 145 145 145 1	0745 /410	OYY0 /350	5/9/ 54		1211 2110	08.30 (500	27.0 0 02.0	051/ 0/0/		0500 0530	VEL/2/20	02/15/60	509/ 8/430	2777 10%	245/6/6		•	14. 35 Ve	2700 0000	209/ 5/45	Or35 /202	0/9/ 246	X30 15/0	
iot out of Eld		ng i spelit te	185 - DA B + MC c   O)	67.11		3.70 -321-341	10 V V	80 178-31-06-S	18-34 A	75-3				3,00%			101			K-5-477	V.38-81	201-12-34-80-9-60745 1608	118-111-0CE- VIC	10 547-140- 23N	8-36 A-13- 0830 1510	: : :
DISPATCHER'S LOG	g to the section	LOAD DR THE STREET	1 3 6	32			ž.			_3	9606	7/44		38X	C. 8.4.5	- 30			606	11 9/130	791	15 P.Z.	a Frank	Smit	35 Flat	7 6
0			Oakled ?	Stone		Desce Co			٥.٥	Stolone	5-25	+	1	4.38	Back	مرجري الم	Oakland		8-1-7-1	Stacoap	.0'	Barod		Ookland		R. Tink
ļ		REGLESTED BY	Ties lie	,,	//		, ,,	"	.0.ව	Triffee	*	Teatic	,,	,,,	//	, ,,	"			Trubfie	0.0	اردم المد	"	"	,	Offile K.
		Serves serves	Chint	Clack	وم	1	3	M.K.	"	Brown	1	י ר	2	(	- 4 14 0 - 1	100	o t		Š	2 To. M. San	`	6		P. 1. 1	から	
		TANKS TO A STATE OF	27.20		ł	! .		ۇ	"	#\choose		1	i	7	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	To Lor	100		1				7	, T	1	
•	•		K-21124	55-19826	95-15922	12161	41 - 18 12	36-31436	1	95-14822		0 C - 4c		736	75.451-54		73417-67	25.57		C. 27/1/12		Cran S	18001264	2 C-3 C-3 S	05-150	

VENICLE/EQUIPMENT REQUEST AND RECORD NAVICE 0-11240/1 (3-10) S/M-0105-LF-004-1150

(iff-Station log

PART A. To be filled in f-			to be filled in by Requesting
U.d. asa	A Company of the Comp	i. matsing a final	
HCR # 41	7077	HER HUI	7 DASTIBATION
3		1-16.74 13:30	1/50
0 %		י אפטווישו כן יונים ניוויג	
Phil D. Townstrates on Preparation on receipt of requests, and researchers.	of request.	PART B. Francinstation De-	Fronzinctorion Dept. 1411 in on execu-
1.42	K	77.5	
PART C. DISPAICH AND USE INFORMATION		] [	PART C. DISPATCH AND USE INFORMAL
94.53.28	J. Carth. Court	94-5312 B	3
51:71	7 T. VAL. MOLES USEE	<i>*</i>	14:38
1-9.79 11:05	7	1-16-79 Times	13:30
<u>-</u>	2. 75 FA WALES	3	Chh 18
. 07319	67	READING: 1.1	82421
CONTRACTOR (CONTRACTOR CONTRACTOR	21 (50)	18. FLEL PURCHASED FROM CUTSICE SCHOEL.	SLOVING OF

\* X ". [ 4-01-TOTA 1001P. COL1 TOTAL WILLS d Deft. 1411 in on except of request. 00T . 8 . elled in by Requesting Activity. Per ture, marsito SPATCH AND USE INFORMATION 13:30 C4418 120 Sec. Security 82421 7. PESTINATION be 



J	٠٠ ـ	) )																			
2025		VEHICLE NO.						58/72-26						•							
		BAING		·				6													
	Log	DISPATORE	Caruco	S. Trees	05000		(F: \n.	CARUSO	ولاسالات			3.9 Soct.	168 Scc 44	Carusa	Grazzin	GAruso	P+0.50	The hait	Gruso	المددة ي	325
	railer	47104	1	S	58/	278	364	riber	021		<i>b.</i>	6%	,39/	368 <sup>D</sup>	//	110		530	Şā	530	*
	Seni-Prailer	DESTINATION	211 375	38F C	348	6	1	c/t:v 368- ±	388		:06	328	388	"	6	368 110	3/8c /2	388	32.45 Ps. 75.	368 530	9
		TYPE EQUIPMENT	1, 4			-29-79-	Scat	4/2	1/r		2.23.99	12.0	7.	26°+	Sport	4/2	4/2		4/1	4/2	1/4
		Ex.	270	2180	2180	66	513	2919	3180		56	0317	215.0	3512	1132	2180	2780	2480	29.16	2180	113
		PEQUESTOR'S	w.//;e			3	13:24	TUNNER	14:1/1.c		4	w.//:a	us.//.e	メンジ	Leno	14:11:4	w:11:c	ti://:e	Rob	w.11:e	Gere
707	(14-14)	REQUESTING	いんに	$\sum_{i\in I} (i,i)$	T. 16.	•	Land	telitic	Thallie			-\. \. \. \. \. \. \. \. \. \. \. \. \. \	1.001:	Shich	Schoose	0856 0850 Tallin	3	القال	Testine.	20/00	12/2
9 40 4 5.5 6	1/09211	91941069	0711	5831	110		2250		1335			0240	2000	2529	2080	2530		hz0/	1000	1151	•
2011	(M-1 A)8) 1/09211 VSVE OEL	AROESTE			1116		S\$52 0254	7080 2080	1332	•		6739	27.0	9259	4020	25.50	0940 0972	1023	3011	1150	1312 1318

# APPENDIK D-7

SQUADRON	DOCUMENT NAMER		iation S	noport D	ivision	G) Lom		7026
	NAGER			TIME				
Λ .	C017	1	BLDG 8	ARRIVED WAREHOUSE	WAPEHOUSE MUNBER	TIME DEPARTED MAREHOUSE	TIME DELIVEPED TO CUSTOMER	REMARKS
Awr		প্ত	k83a	R	8	<b>8838</b>	R85%	<u> </u>
ANP	C018				8		0850	
Acop	0270				8		0850	<u> </u>
Awp.	0271				8	0830	0850	
Awp	Ca72			2835	91	08:45	0850	[
Amp	C273				91		0850	1
Awp	C274				91		0850	1
AWP	C275		0830	0835	91	0845	0850	
AWP	C260	8	0950		8		1010	
AWP	C254	1_			8		1010	
AWP	Coas				8		1010	
Aup	C003				8		1010	
AWP	2008				8		1010	
PEB	E873				8	0950	1015	
Awp	C001	_/_		0955	117	1005	1010	
Awp	C004		0950	0955	117	1005	Nº5	
rodsos (	लम्मत्	4	1050	1055	701	1100	1120	4
HARTA	G070		· (	1055	701	1100	1120	<u> </u>
VA3OU !	318		·)	1105	711	1110	1125	
HD85 (	3629.		1050	1105	711	1110	1112	
Dogad	3.450	4	1135		8	1135	1140	
VAGZOY	3,451	_(			8		1140	<u> </u>
DA9208	4	1			8		1140	
AWP	2025	. )	1135		8	ľ	1150	لے
Bup (	2100	<u>1</u>	1310		8	1310		
Awr (	2029		1310	1315	117	1320		

# APPEMDIX D-8

	TAVIO	NARF Log	<b>.</b>	
•	TAYLOR. D	: A - B.M STORER		OCT, 23, 79
100 F.A	CI CCI.	CI TI	Humber	
FOCULIC:	ARNIAND	THE CONTROL	I Ondor	Jeros teri
	0730	0738	30	
60	0 7 3 9	0143	9	
69	. 0 143	0751	111	
2.2	0800	0807	12	
82	0 807	0816	6	
81	0819	0823	11	
83	0824	0826	3	
89	0830	0834	a	
68	0838	0845	35	
Pic-x	0845	0854	60	
70	0901	0911	10	
63	0915	0929	3	
59	0931	0935	4	
7a	0940	0945	12	
66	0956	6958	4	
53	10:00	1006	19	N
BLDG. 14.58	1014.	1022	3	
BLOG. 162. 11	1028	1036	40	
BLDG. 60. 79	10 47	1055	35	(
BL06. 398. 14	1103	1116	10	
BL06.113 PIC-X		11 28	10	.;
BLOG. 163 H3,H7 LEAN-TO	•	<del></del>	15	

# **DELIVERY**

BUILDING ROOM DATE

OF (BOX, PLT, CTN, ETC.)

12ND NASA 4613/24 (REV. 2-67)

PRIORITY
(CHECK ONE)

RED HOT
WALK THROUGH
NORS, ETC.

HOT
URGENT
LINE, ETC.

ROUTINE
SCHEDULE

DISPATCH INSTRUCTIONS 12ND NARFA 4615/2 (REV. 9-73)

### APPENDIX F

## SQUADRONS ASSIGNMENT

Delivery section 368-C Annex, Hangers and Squadrons, deliveries. Two drivers assigned daily.

Pickup materials 368-A floor and security cage "Signature material."

Pickup materials 368-C Delivery section.

Pickup materials at buildings 369-370-371-361, storage.

Pickup BLK material building 13 storage.

Deliver to the following hangers twice daily AN and PM.

VA 303 - VA 304 - CV1R 30 -	HGR	20	RM 137 RM 143		3557-3505 3697-3905 3982
VAQ 208 - VAQ 308 - WARU - PRD - X Tool Room	HGR HGR HGR	21 21 21	RM 139 RM 145 RM 132 RM 132	phone: phone:	2373 4620-2373
MARTO A47/CH53A	HGR HGR				
Operations	Depai	rtment :	Hanger 23		
HS-85 TA-4J TA-3B	HGR		RM 137 RM 150 RM 150	phone:	3257/2010
VR55	HGR	40	RM 145		
AIMD Supply	HGR	41			
Support PRE- X Bins				phone:	4403
Ships GSZ D	ETS.	Buildi	ng 57		

USS Coral Sea (COD Aircraft) HGR 23 USS Enterprise (COD Aircraft) HGR 23

## SDJ RUN

Pick up materials from 9 - 91 - 92 - 8

Haul to MARF 5 - 11 - 12 - 400 - and BLDGS 130 - HGRS - Barracks - ADM - 18 - 16 - 30 - etc.

Request help when needed to handle multi-pack carton etc.

Hourly pickup & delivery.

## NARF - SDC - REGULAR - MISC.

Haul material from --- 368-0 to MARF - 5-11-12-400-170-338-360 HOURLY

At 2:00 go to HGR 11 NARF's return material area. Give assigned driver in that area a hand.

Haul misc. to 8-91-92-Piers-117-13-etc. When material is slow coming in for regular assignment.

Also fill in when other assigned driver(s) are off or on leave, etc.

## RETURN MATERIAL FROM NARF INTO SYSTEM

Material from HGR 11 west side to packing 368-D -- 364 - 91 - 92 - 9 - 117 - Clamp 3644 - 371E. - etc.

Hourly deliveries or soon as material is worked for removal.

## MAIL PARCEL POST

Each A.M. 0930 pickup 2 mailboxes at 368-A (EMPTU) deliver to post office, Bldg. 18 - sign for parcel and fill boxes. Bring back to 368-A have workers at 368-A sign for parcels. Keep one copy bring to 368-C office for file.

Repeat above operation each P.M. 2:30...

## SDC - CLAMP - NARF

Haul materials from ---- 368-C to NARF 5 - 11 - 12 - 400 - 360 - 170 - 338 - NARF FARM

Return clamp from HGR 11 to 361 - 371 --- A.M. and P.M. 10:30 1:30

Hourly----continued----

## CONFIDENTIAL & MISCELLANEOUS RUN

Confidential material and missel from 368-A cage - 368-B cage to Bldg. 168 cage 117 cage and bldg's and piers (to ships) on station.

Pickup and deliver materials off station to NSC, Oakland Airport - San Francisco Airport & City - Stockton - Travis and other Bay Area cities and shipyards etc.

Cive & receive general receipts for materials pickup and delivered.

Continuous -----

## MISC. RUN

Pick ups at:

BLDG. 368-0 and 369 and other buildings as necessary

Deliveries to:

Bldg. 1 - Administration

Bldg. 2 - Ship service - IRD training - self help

Bldg. 3 - Wings

Bldg. 4 - "ings

31dg. 6 - P.M.C. parts room

Bldg. 10 - P.V.C. power house

Bldg. 15 - Dispensary

Bldg. 18 - Theater

31dg. 19 - Operation Tower

Eldg. 30 - Main gate security office

Bldg. 35 - Radio shack

Bldg. 62 - IRD

Bldg. 114 - P.M. Work shop stores

31dg. 130 - D.V.C.

Bldg. 354 - CBU 409

Plag. 42 - Ordnance

Misc. Bldg. Etc.

Bldg. 77 - Fleet weather - Air Ops

Piers - 2 - 3 to ships in port

## DELIVERIES AND PICKUPS HOURLY

Also pick up and deliver typewriters & adding machines to Pldg 114 for repair and return to proper destination.

## BUILDINGS 8-9-91-92-117-RUM

## PICK UP & DELIVER POINTS

- P/U Bldg. 368-A "Gray Boxes" going to Bldg. 8 every hour Return <u>EMPTIES</u>.
- P/U Material in 368-0 delivery section going to Bldg.'s 8-9-91-92
- P/U Material in 368-A going to 117
- P/U Impress fund cashier twice weekly take to Bldg. 1 & return
- P/U Any materials coming from 8-9-91-92-117 coming to 368 Annex

Continued hourly -----

## GROUP 2 & 3's ETC.

Waterials from 8 - 9 - 91 - 92 - 117 - 13 - 170 to packing 368-D

Continued hourly -----

#### MAIL RUM

Fick up mail & keys Bldg. 3680.

Pick up mail Bldg. 358-D, 358-A office, 358-A Mezz., 354 clamp 371-E walley off.

Pick up mail Bldg. 370-E off., 371-E off., 361-U off., 364 clamp.

Pick up mail & keys Bldg. 117 off., 13 off.

Pick up mail Bldg. 153 fuel br., 170 off.

Fick up mail & keys engine shed

Pick up mail Bldg. 400, 5-A

Deliver all keys Bldg. 8 1st deck Rampateria side.

Deliver & pick up mail 2nd deck by freight elv. Bldg. 3 & 3rd deck, 370-7 off., 370-3 off., 371-3 off., 361-3 off., 361-3 off., 363-4 Mezz. & off., 365 clamp

Deliver & pick up mail Bldg. 369-B off., 117 off., 13 off., 168 fuel br., area 170 off., engine shed, Bldg., 8 3rd deck mail room

Pick up 3 deliver mail Bldg., 370-7 off., 370-8 off., 361-7 off., 363-D off., 363-3 off., 361-8 off., 363-8 off., 364 clamp

Fick up & deliver mail Bldg. 369-E off., 117 off., 13 off., 168 fuel br., 170 off., engine shed, 400, 5-A

Deliver 3 pick up mail Bldg. 8 3rd deck mail room, 370-7 off., 371-E off., 368-D off., 368-C off., 361 east cage, 362-A off., 5 Nezz., 364 clamp

Deliver & pick up mail Bldg. 369-E off., 117 off., 13 off., 168 fuel br. engine lot, (EDR Report), 170 off.

Deliver & pick up mail & DTR Report

Deliver a pick up mail Bldg. 8 3rd deck

Deliver mail Bldg. 370-V, 370-E, 371-E, 361-V, 368-D, 368-C, 361 cage east, 368-A

Deliver mail and get ETR Report signed by Ardell or Capt. Moore 368-A Mezz.

Deliver mail 3 reports Bldg. 8 (EDR Report to Bldg. 8 3rd deck to teletype, give to TAN)

1 trip daily 31dg. 8 mail room to 31dg. 292 rigging loft, if there is mail to be delivered - (no pick up)

## NSC - P M B - RUN

Pick up material from 368-0 & mail 368-A Mezz. Also material  $368-\mathbb{Z}$ .

Fick up mail NAS Bldg. 8 1st deck Comptroller Office and deliver to Oakland Army Base Bldg. 795 rm 122.

Pick up forms and cards Bldg. 8 3rd deck.

Deliver material to Bldg. 212, etc. Ship material to Bldg.  $3^{l_1}$ 1.

Deliver mail and pick up mail Bldg. 502.

Deliver & pick up mail Bldg. 311 - 4th floor.

Deliver forms, cards, and documents to 2nd deck B-311 and pick up documents for material pick up, commodities, fuel, grese, lumber and stock control, also located on 2nd deck B-311.

Take documents to Bldg. 312, (Oak Matic) 1st deck, pick up materials the rest of the pick ups will be written on form as to what Bldg.

------Deliveries and pick ups hourly------

Also pick up material at 368-E Deliver to NSC Oakland Bldg.s 341-331.

APPENDIX G

HARPTS INTERNAL ROUTE LOCATIONS December 10, 1975

	or Tacamon	1270			
Shop	mitle	Organization Designator	Route Location	Building	Control
10000	Administrative Services	32		5A	A
20000	Management Controls	63		5A	¥ .
21100	Organization and Directives	B7	01	9-West end	Ą
30000	Aeronautical In $\kappa$ ineering	C4		5.8	٧٤
34000	Materials Engineering	65	25	77/1	Ą
34.200	Chemical Bngineering	90	3	77	A
35200	Engineering Data/Technical Library	C2		5A	δi
00001	Quality and Reliability Assurance	D2.		5A	A
20000	Production Planning & Control	D3		5A	Ą
522!10	Aircraft Logs & Records	02	K2	HGR 11	fω
52531	Change Kits	1)4:	51	5A	A
52721	PMO Breakdown (53811)	50	25	2	न्य
52721	PEO Bins	90	25	ν,	A
52721	Metal Staging Area	50	B9	у.	A
52721	Metal Staging Area	D9	35	5A	A
23,400	Instrument/Flectric	36		004	وح
53500	Aircraft Parts	33		ĸ	V
53500	ngnerines	4/3		360	1
53520	GSC & Discellaneous Equip	B5		5A	¥

HIP Store		RA Ma PR		5A 170M	A I A
*53820 *53820	MIF Store	121 33	·	251 5	ଏ ଏ
	MIP Store	BA		5A	V
		BM	80	1701	'n
		BR		2	V
		BP		261	Ą
		E.B.	52	FARK	Ą
	Office Supplies	B2		5A	A
	Shop Stock	A2		5.4	٧
		Α3		5A	V
		$\Lambda L$		5A	V
		A 5		5A	A
		24		11:00	Ğ.
		£4		1400	Œ
		174		1,000	ŭτ
		ર.લ		1100	الجيا
		1.2		360	ᆸ
		L3		350	H
		$\uparrow \Pi$		360	П
		LS		530	7
		M2	80	170N	7
		M3	80	170M	IJ

To be used at a later date for Customer Furnished Material. \*!101i\*

		17W	80	17011	7
		N; 5	80	170N	Ţ
9009	Production Ingineering	H2		5.	A
62100	Aircraft Analysis	J2	JJ	338	А
62200	Engine & Accessary Analysis	53	JJ	338	17
52300	Accessories Analysis	4/1	Į,	338	Ą
63000	Methods & Standards	35		5	А
94000	Facilities & Equipment Engineering	J6	ιι	338	A
64200	Pacilities Design	H5	ιι	338	А
54311	Central Receiving	55	נר	338	A
55020	Plant Services	N2	נר	338	A
65110	Mechanical Maintenance & Manufacturing	N3	D7	2	Ą
65120	Electrical Maintenance & Manufacturing	114	D2	2	Ą
55130	Paint & Custom Manufacturing	N.5	52	Farm	A
65133	MMF Reconfiguration Custom Manufacturing	115	Б	HGR 12	7-
55140	Janitorial & Salvage	117	<b>E8</b>	5A	A
55210	Mechanical Maintenance & Manufacturing	н3	33	163	Н
65220	Tool Services	Н6	B7	٧.	A
65230	Electrical Maintenance & Wanufacturing	117	13	163	Ļ
96000	l'etrology Standards	118	90	ν.	<b></b> ;
67000	ATE Engineering	1/11		52	V
80000	Plight Test	43	HGR 11	HGR 11	Fr.,
	Optometrist	470		5A	~;
Supply Puel Bra	ly Puel Branch Pranch	95		HGR 11	Œ.
nsed by	used by Section 93230				

SHOP	PCC	ORGANIZATION DESIGNATOR	ROUTE LOCATION	BUILDING	MATERIAL CONTROL CENTER
*93000	51 300	Ξ3		ζ.	Α
93100	51310	G2	32	5	
				5	A
93100	51310	G5	35 D1	5	A
93100	51310	G8	D1	5	A
93100	51 31 0	G9	D1	5	A
93100	51 310	К2	D6	5	A
93100	51 310	K7	5B	5	A
93100	51310	R6	D1	5	A
93100	51310	R8	A4	5	A
93100	51 320	G3	BŚ	5	A
93100	51 320	К3	D2	5	A
93100	51 320	K4	D3	5	Α
93100	51320	K5	D4	5	A
93100	51320	<b>K</b> 5	A2	5	$\mathbf{A}$
93100	51320	27	C 5	5	A
93200	51320	G4	Ξ4	5	$\boldsymbol{A}$
93200	51 320	G5	E4	5	A
93200	51320	· G7	<b>32</b>	5	Α
93200	51 320	K8	Hl	<u> 1</u> +10	L
93200	51320	K9	03	5	A
93200	51320	R2	Ξ2	5	$\boldsymbol{A}$
93200	51320	R3	G1	HGR 11	F
93200	51 320	R4	Ml	167	L
93200	51320	35	B4	5	A
93200	51320	39	Fl	HGT 12	7
93224	51322	116	G3	113	L
*94000	51400	E4		400/53	ر آ⁄ت 0
94100	51412	U2	41	400	F
94100	51413	ប្ទ	41	400	F
94100	51411	<b>U</b> 4	41	400	رد
	-				

<sup>\*</sup>NOTE: To be used at a later date for Customer Furnished Material.

#### LIST OF REFERENCES

- 1. <u>Tholesale Supply Support Consolidation and Marchouses Modernization Plan</u>, Naval Air Station Alameda, Naval Supply Center Oakland, Oakland, California 23 March 1979.
- 2. <u>Monthly Material Receipt Processing Time Analysis</u>
  <u>Report</u>, Naval Air Station Alameda Supply Department,
  Alameda, California, April 1979.
- 3. Magner, J., Shipping Section Supervisor, Material Division, Naval Air Station Alameda Supply Department, Alameda, California, interviewed 20 April 1979.
- 4. Hayes, H., <u>Report on the Aviation Support Division</u>
  <u>Material Delivery Section</u>, Material Division, Naval
  Air Station Alameda Supply Department, Alameda,
  California, June 1979.
- 5. <u>Uniform Material Movement and Issue Priority Systems</u> (UNNIPS), Chief of Naval Operations Instruction 4614 (series), Department of the Navy, Mashington, D.C., 1979.
- 5. Brady, E., Receiving Section General Foreman, Material Division, Maval Air Station Alameda Supply Department, Alameda, California, interviewed, 19 April 1979.
- 7. Compiano, C. M., LT, USN, Aviation Support Division Officer, Maval Air Station Alameda Supply Department, Alameda, California, interviewed, 11 May 1979.
- 3. <u>Haval Air Maintenance Program</u>, Chief of Naval Operations Instruction Number \$790.2A, Department of the Navy, Washington, D.C., 20 September 1976.
- 9. Vaggoner, C., Material Unit One Supervisor, Production Planning and Control Department Facility Alameda, Alameda, California, interviewed 11 May 1979.
- 10. <u>Wholesale Support Consolidation Oakland Alameda</u>, Navy Supply Center Oakland, Naval Air Station Alameda, Naval Air Rework Facility Alameda, Alameda, California, June 1979.
- 11. Clardy, 3., Stores Unit One Foreman, Material Division Naval Air Station Alameda Supply Department, Alameda, California, interviewed 19 April 1979.

- 12. Hymes, C., Delivery Section Foreman, Material Division, Maval Air Station Alameda, Alameda, California, interviewed 19 April, 4 and 11 May 1979.
- 13. Holt, B., Repairs Branch Supervisor, Public Morks Center Haval Air Station Alameda, Alameda, California, interviewed 4 May 1979.
- 14. Vranich, T., Establishment of Delivery/Pickup Schedules, Aviation Support Division Memorandum, Maval Air Station Alameda Supply Department, Alameda, California, 3 May 1978.
- 15. Gums, R., Distribution Center/Inside Transportation Section Supervisor, Production Flanning and Control Department, Naval Air Rework Facility Alameda, Alameda, California, interviewed 20 April and 17 October 1979.
- 16. Davidson, V., Supervisory Management Analyst, Administrative and Planning Division, Naval Air Station Alameda Supply Department, Alameda, California, interviewed 24 May 1979.
- 17. Gums, R., Manpower Hourly Rates, Distribution Center/ Inside Transportation Section Supervisor, Production Planning and Control Department Naval Air Rework Facility Alameda, Alameda, California, Letter of 11 September 1979.
- 18. <u>Monthly Transportation Rental Charges Incurred for Activity Number 03000</u> (Naval Air Station Alameda), Report Number 5H28, Public Yorks Center San Francisco, Cakland, California, April 1979.
- 19. Management Control of Material Handling Equipment Ashore Activity Verification and Allowance List, Maval Air Station Alameda, Naval Pacilities Systems Command, Report Symbol 4400-21, Department of the Navy, Mashington, D.C., 1 January to 31 September 1978.
- 20. <u>Manpower Listing for Maval Air Station Alameda</u>, Report Number 5320-2, Chief of Naval Operations, Department of the Navy, Mashington, D.C., April 1979.
- 21. Gums, G., Transportation Costs, Distribution Center/ Inside Transportation Section Supervisor, Production Planning and Control Department, Naval Air Rework Facility Alameda, Alameda, California, Letter of 25 September 1979.
- 22. <u>Management Control of Material Handling Equipment Ashore Activity Verification and Allowance List, Maval Air Rework Facility Alameda, Naval Facilities Systems Command, Report Symbol 4400-21, Department of the Navy, Mashington, D.C., 31 September 1977 to 1 October 1978.</u>

23. Naval Air Rework Facility Alameda Standard Procedure Instruction 4235.3A, Alameda, California, 10 December 1976.

# INITIAL DISTRIBUTION LIST

		No.	Copies
1.	Defense Logistics Studies Information Exchange (DLSIE) Fort Lee, Virginia 23801		1
2.	Defense Documentation Center Cameron Station Alexandria, Virginia 22314		2
3.	Library, Code 0142 Naval Postgraduate School Monterey, California 93940		2
4.	Department Chairman, Code 36 Department of Administrative Sciences Naval Postgraduate School Monterey, California 93940		1
5.	Lt Richard T. Macon		1
5.	Professor A. W. McMasters Code 54Mg Naval Postgraduate School Monterey, California 93940		5
7.	CDR Robert D. Grant Code 08 Naval Supply Center Oakland Gakland, California 94625		5
۶.	Mr. H. J. Lieberman Code 04313 Maval Supply Systems Command Mashington, D.C. 20376		2
9.	CDR John P. Hall Code 446C Naval Military Personnel Command Department of the Navy Washington, D.C. 20370		1
10.	R. W. Sagehorn, Asst. Professor Code 54Sn Maval Postgraduate School Monterey, California 93940		1